

Shenzhen SecuMate Technology Co.,LTD

Address: Building 2, Long Bi Industrial Zone, Ban Tian, Long Gang District, Shenzhen, China
 TEL: +86 755 28748349 FAX: +86 755 28748349
 Email: overseas@secumate.cn
 Website: www.secumate.cn



H.265 Analog XVR

1080N H.265 DVR, App: TSEye

NO.	Type	Model Number	Specification	MOQ 50+	MOQ 200+	Feature Options	Picture	Remarks
1	1080N	SE-1604XVR	4CH Analog input: 4ch 1080N@25fps (4 in 1); 1ch Audio in/1ch Audio output, Playback: 1ch 1080N HDD: 1x HDD 10TB, 1ch VGA/HDMI output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A			not support coaxial audio camera	 10pcs/Carton	
2	1080N	SE-2604XVR	4CH Analog input: 4ch 1080N@25fps (4 in 1); 1ch Audio in/1ch Audio output; 4ch Coaxial Audio Playback: 1ch 1080N HDD: 1x HDD 10TB, 1ch VGA/HDMI output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A			Support Secumate Coaxial audio Camera	 10pcs/Carton	
3	1080N	SE-2608XVR	8CH Analog input: 8ch 1080N/25fps (4 in 1); 1ch Audio in/1ch Audio out, 8ch Coaxial Audio Playback: 8ch 1080N HDD: 1x HDD 10TB, 1ch VGA/HDMI output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A				 10pcs/Carton	
4	1080N	SE-2616XVR	16CH Analog input: 16ch 1080N/25fps (4 in 1); 1ch Audio in/1ch Audio out, 16ch Coaxial Audio Playback: 16ch 1080N HDD: 1x HDD 10TB, 1ch VGA/HDMI output, 1ch BNC video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A				 10pcs/Carton	
5	1080N	SE-2616XVR-H 2x HDDs	16CH Analog input: 16ch 1080N/25fps (4 in 1); 1ch Audio in/1ch Audio out, 16ch Coaxial Audio Playback: 16ch 1080N HDD: 2x HDDs 10TB, 1ch VGA/HDMI output, 1ch BNC video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/4A				 5pcs/Carton	



5MP-N H.265 DVR, App: TSEye

NO.	Type	Model Number	Specification	MOQ 50+	MOQ 200+	Feature Options	Picture	Remarks
6	5MP-N	SE-5604XVR	4CH Analog input: 4ch 5MP-N@20fps 1ch Audio in/1ch Audio out, 4ch Coaxial audio Playback: 4ch 5MP-N@12fps HDD: 1x HDD 10TB, 1ch VGA/HDMI output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A			Support Secumate Coaxial audio Camera	 10pcs/Carton	
7	5MP-N	SE-5608XVR	8CH Analog input: 8ch 5MP-N@12.5fps 1ch Audio in/1ch Audio out, 8ch Coaxial audio Playback: 8ch 5MP-N@6fps HDD: 1x HDD 10TB, 1ch VGA/HDMI output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A				 10pcs/Carton	
8	5MP-N	SE-5616XVR	16CH Analog input: 16ch 5MP-N@12fps; 1ch Audio in/1ch Audio out, 16ch Coaxial audio Playback: 8ch 5MP-N@6fps HDD: 1x HDD 10TB, 1ch VGA/HDMI output, 1ch BNC Video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A				 10pcs/Carton	
9	5MP-N	SE-5616XVR-H 2x HDDs	16CH Analog input: 16ch 5MP-N@12fps; 1ch Audio in/1ch Audio out, 16ch Coaxial audio Playback: 8ch 5MP-N@6fps HDD: 2x HDDs 10TB, 1ch VGA/HDMI output, 1ch BNC Video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A				 5pcs/Carton	
10	5MP-N	SE-5632XVR-H 2x HDDs	32CH Analog input: 32ch 5MP-N@12fps; 4ch Audio in/1ch Audio out, 32ch Coaxial audio Playback: 8ch 5MP-N@6fps(4 in 1); HDD: 2x HDDs 10TB, 1ch VGA/HDMI output, 1ch RS485, 1ch BNC Video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/4A				 2pcs/Carton	
11	5MP-N	SE-5832XVR-F 4x HDDs	32CH Analog input: 32ch 5MP-N@12fps; 4ch Audio in/1ch Audio out, 32ch Coaxial audio Playback: 16ch 5MP-N@6fps(4 in 1); HDD: 4x HDDs 10TB, 1ch VGA/HDMI output, 1ch Rs485, 1ch BNC Video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/6.25A				 2pcs/Carton	




5MP/4K-N/4K DVR, App: TSEye

NO.	Type	Model Number	Specification	MOQ 50+	MOQ 200+	Feature Options	Photo	Remarks
12	5MP/4K-N	SE-8604XVR	4CH Analog input: 4ch 5MP/4K-N@12fps 4ch Audio in/1ch Audio out, 4ch Coaxial audio Playback: 4ch 5MP/4K-N@6fps HDD: 1x HDD 10TB, 1ch VGA/HDMI output, 1ch RS485, 1ch BNC Video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A			Support Secumate Coaxial audio Camera	 10pcs/Carton	
13	5MP/4K-N	SE-8608XVR	8CH Analog input: 8ch 5MP/4K-N@12fps 4ch Audio in/1ch Audio out, 8ch Coaxial audio Playback: 8ch 5MP/4K-N@6fps HDD: 1x HDD 10TB, 1ch VGA/HDMI output, 1ch RS485, 1ch BNC Video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A				 10pcs/Carton	
14	5MP/4K-N	SE-8616XVR-H 2x HDDs	16CH Analog input: 16ch 5MP/4K-N@12fps; 4ch Audio in/1ch Audio out, 16ch Coaxial audio Playback: 8ch 5MP/4K-N@6fps HDD: 2x HDDs 10TB, 1ch VGA/HDMI output, 1ch RS485, 1ch BNC Video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/4A				 5pcs/Carton	
15	4K	SE-9604XVR	4CH Analog input: 4ch 4K@15fps 4ch Audio in/1ch Audio out, 4ch Coaxial audio Playback: 4ch 4K@12fps HDD: 1x HDD 10TB, 1ch VGA/HDMI output, 1ch RS485, 1ch BNC Video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A				 10pcs/Carton	
16	4K	SE-9608XVR	8CH Analog input: 8ch 4K@15fps 4ch Audio in/1ch Audio out, 8ch Coaxial audio Playback: 8ch 4K@6fps HDD: 1x HDD 10TB, 1ch VGA/HDMI output, 1ch BNC Video output Mobile App: TSEye; P2P Support: www.topsccloud.net; DC12V/2A				 10pcs/Carton	


H.265 5 IN 1 1080N DVR, App: XMEYE

NO.	Type	Model Number	Specification	MOQ 50+	MOQ 200+	Feature Options	Picture	Remarks
17	1080N Lite version	SE-M2104XVR-LT	4CH Analog Input: 4ch 1080N@12fps Playback: 4ch 1080N@15fps 1ch Audio in/1ch Audio out HDD: 1x HDD 10TB, 1CH VGA/HDMI output P2P Support: www.xmeye.net; Mobile App: xmeye			Not support coaxial audio camera		DC12V/2A 10pcs/Carton
18	1080N Lite version	SE-M2108XVR-LT	8CH Analog Input: 8ch 1080N@12fps; IP Video Input: 16ch 1080P/8ch 5MP; Playback: 8ch 1080N@15fps; 1ch Audio in/1ch Audio out HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye			Support Secumate Coaxial audio Camera		DC12V/2A 10pcs/Carton
19	1080N	SE-M2104XVR	4CH Analog Input: 4ch 1080N@12fps; IP Video Input: 8ch 1080P/ 4ch 3MP; Playback: 1ch 1080N 4ch Audio in/1ch Audio out HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye			Support Secumate Coaxial audio Camera		DC12V/2A 10pcs/Carton
20	1080N	SE-M2108XVR	8CH Analog Input: 8ch 1080N@15fps; IP Video Input: 16ch 1080P/8ch 5MP; Hybrid: 8ch 1080N(Analog)+2ch 1080P(IP) Playback: 8ch 1080N@15fps; 4ch Audio in/1ch Audio out HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/2A 10pcs/Carton
21	1080N	SE-M2116XVR	16CH Analog Input: 16ch 1080N@15fps; IP Video Input: 16ch 1080P/8ch 5MP; Hybrid Input: 8ch 1080N(Analog)+8ch 1080P(IP) 2ch Audio in/1ch Audio out Playback: 16ch 1080N@12fps HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/2A 10pcs/Carton
22	1080N	SE-M2116XVR-H 2x HDDs	16CH Analog Input: 16ch 1080N@15fps; IP Video Input: 16ch 1080P/8ch 5MP; Hybrid Input: 8ch 1080N(Analog)+8ch 1080P(IP) Playback: 16ch 1080N@12fps 2ch Audio in/1ch Audio out HDD: 2x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/4A 5pcs/Carton









H.265 5MP-N DVR App: XMEYE





NO.	Type	Model Number	Specification	MOQ 50+	MOQ 200+	Feature Options	Picture	Remarks
23	5MP-N Lite version	SE-M5104XVR-LT	4CH Analog Input: 4ch 5MP-N@20fps Playback: 2ch 5MP-N@20fps, 1ch Audio in/1ch Audio out; HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye			Support Secumate Coaxial audio Camera		DC12V/2A 10pcs/Carton
24	5MP-N Lite version	SE-M5108XVR-LT	8CH Analog Input: 8ch 5MP-N@12fps Playback: 4ch 1080-N@12fps, 1ch Audio in/1ch Audio out; HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/2A 10pcs/Carton
25	5MP-N	SE-M5104XVR	4CH Analog Input: 4ch 5MP-N@20fps IP Video Input: 16ch 1080P/8ch 5MP; Hybrid Input: 4ch 5MP-N(Analog)+2ch 1080P(IP) Playback: 2ch 5MP-N@20fps, 4ch Audio in/1ch Audio out; HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye			Support Secumate Coaxial audio Camera		DC12V/2A 10pcs/Carton
26	5MP-N	SE-M5108XVR	8CH Analog Input: 8ch 5MP-N@12fps IP Video Input: 16ch 1080P/8ch 5MP; Hybrid Input: 4ch 5MP-N(Analog)+4ch 1080P(IP) Playback: 4ch 5MP-N@12fps, 4ch Audio in/1ch Audio out; HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/2A 10pcs/Carton
27	5MP-N	SE-M5116XVR	16CH Analog Input: 16ch 5MP-N@12fps IP Video Input: 16ch 1080P/8ch 5MP; Hybrid Input: 16ch 5MP-N(Analog)+4ch 1080P(IP) Playback: 8ch 5MP-N@12fps, 2ch Audio in/1ch Audio out; HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/2A 10pcs/Carton
28	5MP-N	SE-M5116XVR-H 2x HDDs	16CH Analog Input: 16ch 5MP-N@12fps IP Video Input: 16ch 1080P/8ch 5MP; Hybrid Input: 16ch 5MP-N(Analog)+4ch 1080P(IP) Playback: 8ch 5MP-N@12fps, 2ch Audio in/1ch Audio out; HDD: 2x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/4A 10pcs/Carton
29	5MP-N	SE-M5232XVR 2x HDDs	32CH Analog input: 32ch 5MP-N@12fps Playback: 4ch 5MP-N@6fps; 2ch Audio in/1ch Audio output HDD: 2x 10TB HDD, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye			Support Secumate Coaxial audio Camera		DC12V/4A 2pcs/Carton

H.265 5MP/4K-N DVR App: XMEYE






NO.	Type	Model Number	Specification	MOQ 50+	MOQ 200+	Feature Options	Picture	Remarks
30	5MP/4K-N	SE-M9104XVR	4CH Analog Input: 4ch 4K-N@12fps, 4ch 5MP@12fps IP Video Input: 16ch 1080P/8ch 8MP; Hybrid Input: 4ch 8MP(Analog)+4ch 5MP(IP) Playback: 1ch 4K-N@12fps, 1ch 5MP@12fps 1ch Audio in/1ch Audio out; HDD: 1x HDD 8TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye			Support Secumate Coaxial audio Camera		DC12V/2A 10pcs/Carton
31	5MP/4K-N	SE-M9108XVR	8CH Analog Input: 8ch 4K-N@12fps, 8ch 5MP@12fps IP Video Input: 16ch 1080P/8ch 8MP; Hybrid Input: 8ch 8MP(Analog)+4ch 5MP(IP) Playback: 1ch 4K-N@12fps, 8ch 5MP@12fps 1ch Audio in/1ch Audio out; HDD: 1x HDD 8TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/2A 10pcs/Carton
32	5MP/4K-N	SE-M9116R	16CH Analog Input: 16ch 4K-N@8fps, 16ch 5MP@12fps IP Video Input: 16ch 8MP; Hybrid Input: 16ch 8MP(Analog)+16ch 8MP(IP) Playback: 4ch 5MP@12fps/4K@12fps, 1ch Audio in/1ch Audio out; HDD: 1x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/2A 5pcs/Carton
33	5MP/4K-N	SE-M9116XVR-H 2x HDDs	16CH Analog Input: 16ch 4K-N@8fps, 16ch 5MP@12fps IP Video Input: 16ch 8MP; Hybrid Input: 16ch 8MP(Analog)+16ch 8MP(IP) Playback: 4ch 5MP@12fps/4K@12fps, 1ch Audio in/1ch Audio out; HDD: 2x HDD 10TB, 1CH VGA/HDMI output, 1ch BNC Video output P2P Support: www.xmeye.net; Mobile App: xmeye					DC12V/2A 5pcs/Carton

HD AHD Analog Camera













NO.	Resolution	Model Number	Chipset	Specification	MOQ 50+	MOQ 200+	Feature Options	Pictures	IR Distance	Signal Output
Warmlight Colorvu Analog Camera(Full Color image)										
1	2MP Full color	SE-F1080XB81	FH8536H+PS6210K	2MP/1080P, 3.6mm lens, 0.05 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m			2.8mm lens+\$0.50 OSD controller cable+\$0.50	 24/7 Colorful Imaging Plastic housing/Indoor 50pcs/ Carton	2x Array Warmlight distance: 20-25m	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080FB81	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m						
	5MP Full color	SE-FSC5HB81	FH8538E+GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
		SE-FAM5HB81	FH8538E+GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
2	2MP Full color	SE-F1080XB37	FH8536H+PS6210K	2MP/1080P, 3.6mm lens, 0.05 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m			2.8mm lens+\$0.50 OSD controller cable+\$0.50	 24/7 Colorful Imaging Plastic housing/Indoor 50pcs/ Carton	4x Array Warmlight distance: 20-25m	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080TB37	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m						
	5MP Full color	SE-FSC5HB37	FH8538E+GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
		SE-FAM5HB37	FH8538E+GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
3	2MP Full color	SE-F1080XB34	FH8536H+PS6210K	2MP/1080P, 3.6mm lens, 0.05 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m			2.8mm lens+\$0.50 OSD controller cable+\$0.50	 24/7 Colorful Imaging Plastic housing/Indoor 50pcs/ Carton	2x Array Warmlight distance: 20-25m	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080TB34	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m						
	5MP Full color	SE-FSC5HB34	FH8538E+GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
		SE-FAM5HB34	FH8538E+GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
4	2MP Full color	SE-F1080XD81	FH8536H+PS6210K	2MP/1080P, 3.6mm lens, 0.05 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m			2.8mm lens+\$0.50 OSD controller cable+\$0.50	 24/7 Colorful Imaging Plastic housing/Indoor 50pcs/ Carton	Metal ball +Plastic cover 2x Array Warmlight distance: 20-25m	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080TD81	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m						
	5MP Full color	SE-FSC5HD81	FH8538E+GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
		SE-FAM5HD81	FH8538E+GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
5	2MP Full color	SE-F1080XD82	FH8536H+PS6210K	2MP/1080P, 3.6mm lens, 0.05 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m			2.8mm lens+\$0.50 OSD controller cable+\$0.50	 24/7 Colorful Imaging Full Meal housing/Outdoor 48pcs/ Carton	Full Metal housing 2x Array Warmlight distance: 20-25m	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080TD82	FH8536H+GC2063	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m						
	5MP Full color	SE-FSC5HD82	FH8538E+SC501AI	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
		SE-FAM5HD82	FH8538E+GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
6	2MP Full color	SE-F1080TD90	FH8536H+GC2063	2.1MP/1080P, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 25-30m			2.8mm lens+\$050 OSD controller cable+\$0.50	 24/7 Colorful Imaging Full Meal housing/Outdoor 18pcs/ Carton	Full Metal Housing 2x Array Warmlight distance: 25-30m	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080TD90M	FH8536H+SONY307	2.1MP/1080P, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 25-30m, 2.7-13.5mm Motorized lens						
	5MP Full color	SE-FAM5HD90	FH8538E+GC4653	5MP AHD/TVI, 4MP CVI, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 25-30m,						
		SE-FAM5HD90M	FH8538M+SONY335	5MP AHD/TVI, 4MP CVI, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 25-30m, 2.7-13.5mm Motorized lens						
7	2MP Full color	SE-F1080X15	FH8536H+PS6210K	2MP/1080P, 3.6mm lens, 0.05 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m			2.8mm lens+\$050 OSD controller cable+\$0.50	 24/7 Colorful Imaging Plastic housing/Indoor 50pcs/ Carton	4x Array Warmlight distance: 20-25m	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080F15	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m						
	5MP Full color	SE-FSC5T15	FH8538E+GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
		SE-FAM5T15	FH8538E+GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
8	2MP Full color	SE-F1080X17	FH8536H+PS6210K	2MP/1080P, 3.6mm lens, 0.05 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m			2.8mm lens+\$050 OSD controller cable+\$0.50	 24/7 Colorful Imaging Plastic housing/Indoor 50pcs/ Carton	4x Array Warmlight distance: 20-25m	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080F17	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m						
	5MP Full color	SE-FSC5T17	FH8538E+GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
		SE-FAM5T17	FH8538E+GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						
8MP Full color	SE-FTM8T17	FH8538E+GC8083	8MP@12fps, 5MP@25fps, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m							

18	2MP Full color	SE-F1080X25	FH8536H+ PS6210K	2MP/1080P, 3.6mm lens, 0.05 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 30-35m		2.8mm lens+\$0.50 OSD controller cable+\$0.50	 	2x Array Warmlight distance: 30-35 m	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080F25	FH8536H+ GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 30-35m					
	5MP Full color	SE-FSC5T25	FH8538E+ SSC501AI	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 30-35m					
		SE-FAM5T25	FH8538E+ GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 30-35m					
8MP Full color	SE-FTM8T25	TP818+ SONY415	8MP@12fps, 5MP@25fps, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 30-35m						
19	2MP Full color	SE-F1080X79	FH8536H+ PS6210K	2MP/1080P, 2.7-13.5mm Varifocal lens, 0.05 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m		OSD controller on cable+\$0.50	 	2.7-13.5mm Varifocal lens	AHD in default AHD/TVI/CVI/CV BS by Coaxial UTC
		SE-F1080F79	FH8536H+ GC2053	2MP/1080P, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up, Warmlight Distance 20-25m					
	5MP Full color	SE-FSC5T79	FH8538E+ GC2083	5MP AHD/TVI, 4MP CVI, 2.7-13.5mm Varifocal lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m					
		SE-FAM5T79	FH8538E+ GC4653	5MP AHD/TVI, 4MP CVI, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m					
8MP Full color	SE-FTM8T79	FH8538E+ GC8083	8MP@12fps, 5MP@25fps, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Warmlight Distance 20-25m						

Coaxial Audio & Warmlight Colorvu Analog Camera

NO.	Resolution	Model	Chipset	Specification	MOQ 50+	MOQ 200+	Feature Options	Pictures	Housing	Signal
20	2MP Audio&Full color	SE-M1080HB35	TP3822+ GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR			2.8mm lens+\$0.50 OSD controller cable+\$0.50		Built in Microphone&Full color image	Only TVI support Coaxial audio
		SE-MSC5HB35	FH8538E+ GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						
	SE-MAM5HB35	FH8538E+ GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR							
	8MP Audio&Full color	SE-MTM8HB35	FH8538E+ GC8083	8MP-12fps, 5MP-25fps, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						
21	2MP Audio&Full color	SE-M1080HB37	TP3822+ GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR			2.8mm lens+\$0.50 OSD controller cable+\$0.50		Built in Microphone&Full color image	Only TVI support Coaxial audio
		SE-MSC5HB37	FH8538E+ GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						
	SE-MAM5HB37	FH8538E+ GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR							
	8MP Audio&Full color	SE-MTM8HB37	FH8538E+ GC8083	8MP-12fps, 5MP-25fps, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						
22	2MP Audio&Full color	SE-M1080HD82	TP3822+ GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR			2.8mm lens+\$0.50 OSD controller cable+\$0.50		Full Metal housing Built in Microphone&Full color image	Only TVI support Coaxial audio
		SE-MSC5HD82	FH8538E+ SSC501AI	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						
	SE-MAM5HD82	FH8538E+ GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR							
	8MP Audio&Full color	SE-MTM8HD82	TP818+ SONY415	8MP-12fps, 5MP-25fps, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						
23	2MP Audio&Full color	SE-M1080T08	TP3822+ GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR			2.8mm lens+\$0.50 OSD controller cable+\$0.50		Built in Microphone&Full color image	Only TVI support Coaxial audio
		SE-MSC5T08	FH8538E+ GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						
	SE-MAM5T08	FH8538E+ GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR							
	8MP Audio&Full color	SE-MTM8T08	FH8538E+ GC8083	8MP-12fps, 5MP-25fps, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						
24	2MP Audio&Full color	SE-M1080T17	TP3822+ GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR			2.8mm lens+\$0.50 OSD controller cable+\$0.50		Built in Microphone&Full color image	Only TVI support Coaxial audio
		SE-MSC5T17	FH8538E+ GC2083	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.05 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						
	SE-MAM5T17	FH8538E+ GC4653	5MP AHD/TVI, 4MP CVI, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR							
	8MP Audio&Full color	SE-MTM8T17	FH8538E+ GC8083	8MP-12fps, 5MP-25fps, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up, Built-in Microphone , AHD/TVI/CVI/CVBS, only TVI support Audio, only compatible with our coaxial audio DVR						







Normal HD Analog AHD IR Camera







NO.	Resolution	Model	Specification	MOQ 50+	MOQ 200+	Feature Options	Pictures	Housing	Signal
39	2MP AHD	SE-1080XB29	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			 2.8mm lens+\$0.50 OSD controller cable+\$0.50	 Plastic housing/Indoor 50pcs/ Carton	6x IR Array leds IR distance: 20-25m AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HB29	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up					
		SE-1080FB29	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SB29	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP	SE-AW5PB29	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up					
		SE-AM5HB29	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
5MP Starlight	SE-AM5SB29	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8FB29	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
40	2MP AHD	SE-1080XB30	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			 2.8mm lens+\$0.50 OSD controller cable+\$0.50	 Plastic housing/Indoor 50pcs/ Carton	3.6mm lens 18x SMT IR leds IR distance: 20-25m AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HB30	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up					
		SE-1080FB30	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SB30	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP	SE-AW5PB30	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up					
		SE-AM5HB30	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
5MP Starlight	SE-AM5SB30	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8FB30	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
41	2MP AHD	SE-1080XB39	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			<div style="background-color: blue; color: white; padding: 2px; display: inline-block;">Top Selling</div>  2.8mm lens+\$0.50 OSD controller cable+\$0.50	 Plastic housing/Indoor 50pcs/ Carton	3.6mm lens 4x IR Array leds IR distance: 20-25m AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HB39	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up					
		SE-1080FB39	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SB39	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP	SE-AW5PB39	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up					
		SE-AM5HB39	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
5MP Starlight	SE-AM5SB39	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8FB39	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
42	2MP AHD	SE-1080XB37	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			<div style="background-color: blue; color: white; padding: 2px; display: inline-block;">Top Selling</div>  2.8mm lens+\$0.50 OSD controller cable+\$0.50	 Plastic housing/Indoor 50pcs/ Carton	3.6mm lens 4x IR Array leds IR distance: 20-25m AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HB37	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up					
		SE-1080FB37	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SB37	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP	SE-AW5PB37	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up					
		SE-AM5HB37	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
5MP Starlight	SE-AM5SB37	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8FB37	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
43	2MP AHD	SE-1080XB18	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			<div style="background-color: blue; color: white; padding: 2px; display: inline-block;">Top Selling</div>  2.8mm lens+\$0.50 OSD controller cable+\$0.50	 Plastic housing/Indoor 50pcs/ Carton	3.6mm lens 18x SMT IR leds IR distance: 20-25m AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HB18	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up					
		SE-1080FB18	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SB18	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP	SE-AW5PB18	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up					
		SE-AM5HB18	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
5MP Starlight	SE-AM5SB18	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8FB18	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
44	2MP AHD	SE-1080XB81	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			 2.8mm lens+\$0.50 OSD controller cable+\$0.50	 Plastic housing/Indoor 50pcs/ Carton	3.6mm lens 2x IR Array leds IR distance: 20-25m AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HB81	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up					
		SE-1080FB81	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SB81	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP	SE-AW5PB81	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up					
		SE-AM5HB81	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
5MP Starlight	SE-AM5SB81	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8FB81	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						

45	2MP AHD	SE-1080XB34	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm lens	2x IR Array leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HB34	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080FB34	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080SB34	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5PB34	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5HB34	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
	5MP Starlight	SE-AM5SB34	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8FB34	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
46	2MP AHD	SE-1080XB40	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm lens	2x IR Array leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HB40	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080FB40	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080SB40	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5PB40	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5HB40	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
	5MP Starlight	SE-AM5SB40	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8FB40	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
47	2MP AHD	SE-1080XB35	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm lens	18x SMT IR leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HB35	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080FB35	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080SB35	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5PB35	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5HB35	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
	5MP Starlight	SE-AM5SB35	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8FB35	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
48	2MP AHD	SE-1080XD84	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm lens	18x SMT IR leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HD84	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080FD84	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080SD84	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5PD84	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5HD84	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
	5MP Starlight	SE-HM5SD84	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8SD84	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
49	2MP AHD	SE-1080XD57	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		B50 Junction box+\$3.50 2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm lens	18x SMT IR leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HD57	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080FD57	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080SD57	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5PD57	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5HD57	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
	5MP Starlight	SE-AM5SD57	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
8MP	SE-TM8SD57	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
50	2MP	SE-1080HD80	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up		2.8mm lens+\$0.50 B50 Junction box+\$3.50		3.6mm lens	6x IR Array leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080SD80	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AM5HD80	FH8538M+K05	AHD/TVI 5MP, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP Starlight	SE-HM5SD80	FH8538M+SONY335	AHD/TVI 5MP, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	8MP	SE-HM8SD80	FH8556H+SONY415	8MP AHD/TVI/CVI, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
51	2MP	SE-1080HD90	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up		2.8mm lens+\$0.50 W90 Wall bracket+\$6.00 B90 Junction box+\$4.50		3.6mm lens	6x IR Array leds IR distance: 35-40m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080SD90	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AM5HD90	FH8538M+K05	AHD/TVI 5MP, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP Starlight	SE-HM5SD90	FH8538M+SONY335	AHD/TVI 5MP, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	8MP	SE-HM8SD90	FH8556H+SONY415	8MP AHD/TVI/CVI, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						











52	2MP	SE-1080HD90V	FH8536H+GC2053	2MP/1080P, 2.7-13.5mm Varifocal lens, low illumination, DWDR, 3DNR, UTC, Sense-up		 W90 Wall bracket+\$6.00  B90 Junction box+\$4.50	 Metal housing Outdoor/Indoor 18pcs/ Carton	2.7-13.5mm Varifocal lens 6x IR Array leds IR distance: 35-40m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080SD90V	NVP2441+SONY307	2.4MP/1080P, 2.7-13.5mm Varifocal lens, 0.001 low illumination, 0.001Lux, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SD90M	NVP2441+SONY307	2.4MP/1080P, 0.001 low illumination, 0.001Lux, DWDR, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens					
	5MP	SE-AM5HD90V	FH8538M+K05	AHD/TVI 5MP, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP Starlight	SE-HM5SD90V	FH8538M+SONY335	AHD/TVI 5MP, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP Starlight	SE-HM5SD90M	FH8538M+SONY335	AHD/TVI 5MP, CVI 4MP, 0.001 low illumination, 5MP board lens, IR-CUT, DWDR, 3DNR, Sense-up, 2.7-13.5mm Motorized lens					
53	2MP AHD	SE-1080XD99V	SC105AP	2MP/1080P, 2.7-13.5mm Varifocal lens, DWDR, 2DNR, Sense-up		 B60 Junction box+ \$4.50  OSD controller cable+\$0.50	 Metal housing Outdoor/Indoor 18pcs/ Carton	2.7-13.5mm Varifocal lens 24x SMT IR leds IR distance: 25-30m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HD99V	XM330+2006	2MP/1080P, 2.7-13.5mm Varifocal lens, DWDR, 3DNR, UTC, Sense-up					
		SE-1080FD99V	FH8536H+GC2053	2MP/1080P, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SD99V	NVP2441+SONY307	2.4MP/1080P, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP	SE-AW5PD99V	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up					
		SE-AM5HD99V	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
	5MP Starlight	SE-HM5SD99V	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
8MP	SE-TM8SD99V	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
54	2MP AHD	SE-1080XD88	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sense-up		 OSD controller cable+\$0.50	 Half Meal housing/Indoor 18pcs/ Carton	3.6mm lens 14x SMT IR led IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HD88	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sense-up					
		SE-1080FD88	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SD88	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP	SE-AW5PD88	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up					
		SE-AM5HD88	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
	5MP Starlight	SE-HM5SD88	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
8MP	SE-TM8SD88	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
55	2MP AHD	SE-1080XVD50	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sense-up		 BVD50 Junction box+\$4.50  2.8mm lens+\$0.50  OSD controller cable+\$0.50	 Metal housing Outdoor/Indoor 24pcs/ Carton	3.6mm lens 15x SMT IR leds IR distance: 15-20m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080HVD50	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sense-up					
		SE-1080FVD50	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080SVD50	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	5MP	SE-AW5PVD50	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up					
		SE-AM5HVD50	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
	5MP Starlight	SE-HM5SVD50	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up					
8MP	SE-TM8SVD50	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
56	2MP	SE-1080XVD68	FH8536H+F23	2.1MP/1080P, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNR,UTC, Sense-up,		 Wall bracket USD 6.00  Junction box USD 6.00	 Metal housing Outdoor/Indoor 24pcs/ Carton	2.7-13.5mm Varifocal Lens 18x IR leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080HVD68	FH8550M+SONY 307	2.4MP/1080P, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080HVD68M	FH8550M+SONY 307	2.4MP/1080P, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens					
	5MP	SE-AM5HVD68	FH8538M+K05	AHD/TVI 5MP, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up,					
	5MP Starlight	SE-HM5HVD68	FH8538M+SONY335	AHD/TVI 5MP, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up,					
	5MP Starlight	SE-HM5HVD68M	FH8538M+SONY335	AHD/TVI 5MP, CVI 4MP, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens					
	8MP Starlight	SE-HM8HVD68M	FH8556H+SONY415	8MP, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens					
57	2MP	SE-1080XVD66	FH8536H+F23	2.1MP/1080P, 2.7-13.5mm Varifocal lens,0.01 low illumination, DWDR, 3DNR,UTC, Sense-up,		 W90 Wall bracket+\$6.00  B60 Junction box+\$5.00	 Metal housing Outdoor/Indoor 18pcs/ Carton	2.7-13.5mm Varifocal Lens 4x IR Array leds IR distance: 30-40m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080HVD66	FH8550M+SONY 307	2.4MP/1080P, 2.7-13.5mm Varifocal lens,0.001 low illumination, DWDR, 3DNR, UTC, Sense-up					
	2MP Starlight	SE-1080HVD66M	FH8550M+SONY 307	2.4MP/1080P, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens					
	5MP	SE-AM5HVD66	FH8538M+K05	AHD/TVI 5MP, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up,					
	5MP Starlight	SE-HM5HVD66	FH8538M+SONY335	AHD/TVI 5MP, CVI 4MP, 2.7-13.5mm Varifocal lens,0.001 low illumination, DWDR, 3DNR, UTC, Sense-up,					
	5MP Starlight	SE-HM5HVD66M	FH8538M+SONY335	AHD/TVI 5MP, CVI 4MP, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens					
	8MP Starlight	SE-HM8HVD66M	FH8556H+SONY415	8MP, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens					

Fix Lens IR Bullet Camera





NO.	Resolution	Model		Specification	MOQ 50+	MOQ 200+	Feature Options	Pictures	Housing	Signal
58	2MP AHD	SE-1080X02	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			OSD controller cable+\$0.50		3.6mm lens 18x SMT IR Leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/ CV BS
	2MP 4 IN 1	SE-1080T02	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F02	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S02	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P02	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T02	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S02	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F02	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
59	2MP AHD	SE-1080X03	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			OSD controller cable+\$0.50		3.6mm lens 18x SMT IR Leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/ CV BS
	2MP 4 IN 1	SE-1080T03	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F03	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S03	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P03	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T03	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S03	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F03	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
60	2MP AHD	SE-1080X15	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			OSD controller cable+\$0.50		3.6mm lens 4x IR Array leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/ CV BS
	2MP 4 IN 1	SE-1080T15	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F15	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S15	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P15	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T15	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S15	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F15	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
61	2MP AHD	SE-1080X17	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			OSD controller cable+\$0.50		3.6mm lens 4x IR Array leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/ CV BS
	2MP 4 IN 1	SE-1080T17	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F17	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S17	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P17	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T17	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S17	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F17	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
62	2MP AHD	SE-1080X19	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			OSD controller cable+\$0.50		3.6mm lens 6x IR Array leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/ CV BS
	2MP 4 IN 1	SE-1080T19	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F19	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S19	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P19	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T19	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S19	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F19	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
63	2MP AHD	SE-1080X05	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up			OSD controller cable+\$0.50		3.6mm lens 6x IR Array Leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/ CV BS
	2MP 4 IN 1	SE-1080T05	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F05	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S05	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P05	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T05	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S05	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F05	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							











70	2MP AHD	SE-1080X21	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm	4x IR Array Leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080T21	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F21	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S21	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P21	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T21	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S21	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F21	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
71	2MP AHD	SE-1080X20B	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm	4x IR Array Leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080T20B	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F20B	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S20B	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P20B	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T20B	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S20B	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F20B	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
72	2MP AHD	SE-1080X30	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm	4x IR Array Leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080T30	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F30	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S30	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P30	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T30	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S30	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8T30	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
73	2MP AHD	SE-1080X21A	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm	6x IR Array Leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080T21A	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F21A	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S21A	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P21A	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T21A	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S21A	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F21A	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
74	2MP AHD	SE-1080X25	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		2.8mm lens+\$0.50 OSD controller cable+\$0.50		3.6mm lens	4x IR Array Leds IR distance: 20-25m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080H25	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F25	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S25	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P25	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T25	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S25	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F25	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
75	2MP AHD	SE-1080X38	SC105AP	2MP/1080P, 3.6mm lens, DWDR, 2DNR, Sens-up		OSD controller cable+\$0.50		3.6mm lens	4x Array Leds IR distance: 35-40m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP 4 IN 1	SE-1080T38	XM330+2006	2MP/1080P, 3.6mm lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F38	FH8536H+GC2053	2MP/1080P, 3.6mm lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S38	NVP2441+SONY307	2.4MP/1080P, 3.6mm lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P38	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T38	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S38	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 3.6mm lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F38	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 3.6mm lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							

Varifocal Lens IR Bullet Camera


NO.	Resolution	Model	Chipset	Specification	MOQ 50+	MOQ 200+	Feature Options	Pictures	Housing	Signal
76	2MP AHD	SE-1080X79	SC105AP	2MP/1080P, 2.7-13.5mm Varifocal lens, DWDR, 2DNR, Sens-up			 B16 Junction box+\$5.50  OSD controller Cable+\$0.50	 Top Selling	2.7-13mm Varifocal lens 8x IR Array leds IR distance: 35-40m	AHD in default 4 IN 1, AHD/TVI/CVI/BS
	2MP 4 IN 1	SE-1080T79	XM330+2006	2MP/1080P, 2.7-13.5mm Varifocal lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F79	FH8536H+GC2053	2MP/1080P, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S79	NVP2441+SONY307	2.4MP/1080P, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P79	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T79	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S79	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F79	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
77	2MP AHD	SE-1080X75	SC105AP	2MP/1080P, 2.7-13.5mm Varifocal lens, DWDR, 2DNR, Sens-up			 B16 Junction box+\$5.50  OSD controller Cable+\$0.50	 Top Selling	2.7-13mm Varifocal lens 24x SMT IR leds IR distance: 35-40m	AHD in default 4 IN 1, AHD/TVI/CVI/BS
	2MP 4 IN 1	SE-1080T75	XM330+2006	2MP/1080P, 2.7-13.5mm Varifocal lens, DWDR, 3DNR, UTC, Sens-up						
		SE-1080F75	FH8536H+GC2053	2MP/1080P, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up						
	2MP Starlight	SE-1080S75	NVP2441+SONY307	2.4MP/1080P, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up						
	5MP	SE-AW5P75	FH8538E+GC2083	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up						
		SE-AM5T75	FH8538E+GC4653	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up						
5MP Starlight	SE-HM5S75	FH8538M SONY335	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 2DNR, UTC, Sense-up							
8MP	SE-TM8F75	FH8538E+GC8083	8MP-12fps, 5MP-20fps, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 2DNR, UTC, Sense-up							
78	2MP	SE-1080F46	FH8536H+GC2053	2.1MP/1080P, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up,			 B16 Junction box+\$5.50	 Top Selling	2.7-13.5mm Varifocal Lens 24x SMT IR leds IR distance: 35-40m	AHD in default 4 IN 1, AHD/TVI/CVI/BS
	2MP Starlight	SE-1080S46	NVP2441+SONY307	2.4MP/1080P, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up,						
	2MP Starlight & WDR	SE-1080D46	NVP2450+SONY307	2.4MP/1080P, 2.7-13.5mm Varifocal lens, 0.001 low illumination, True WDR(120dB), 3DNR, UTC, Sense-up,						
	2MP Starlight	SE-1080S46M	NVP2441+SONY307	2.4MP/1080P, 2.7-13.5mm Motorized lens, 0.001 low illumination, 3DNR, UTC, Sense-up,						
	5MP	SE-AM5T46	FH8538M+K05	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNT, UTC, Sense-up						
		SE-HAM5T46	FH8538M+SONY335	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNT, UTC, Sense-up						
	5MP Starlight	SE-HAM5T46M	FH8538M+SONY335	5MP AHD/TVI, CVI 4MP, 0.001 low illumination, DWDR, 3DNT, UTC, Sense-up, 2.7-13.5mm Motorized lens						
8MP Starlight	SE-TM8S46M	FH8556H+SONY 415	8MP, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens							
79	2MP	SE-1080X78	FH8536H+GC2053	2.1MP/1080P, 2.7-13.5mm Varifocal lens, low illumination, 3DNR, UTC, Sense-up,			 B16 Junction box+\$5.50 6-22mm lens plus \$6.00	 Top Selling	2.7-13.5mm Varifocal Lens Metal Housing 4x IR Array leds IR distance: 70-80m	AHD in default 4 IN 1, AHD/TVI/CVI/BS
	2MP Starlight	SE-1080F78	NVP2441+SONY307	2.4MP/1080P, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up,						
	2MP Starlight & WDR	SE-1080D78	NVP2450+SONY307	2.4MP/1080P, 2.7-13.5mm Varifocal lens, 0.001 low illumination, True WDR(120dB), 3DNR, UTC, Sense-up,						
	2MP Starlight	SE-1080S78M	NVP2441+SONY307	2.4MP/1080P, 0.001 low illumination, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens						
	2MP Starlight	SE-1080S78-L	NVP2441+SONY307	2.4MP/1080P, 0.001 low illumination, 3DNR, UTC, Sense-up, 5-50mm Motorized lens(10x Optical zoom)						
	5MP	SE-AM5T78	FH8538M+K05	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.01 low illumination, DWDR, 3DNT, UTC, Sense-up						
		SE-HM5T78	FH8538M+SONY335	5MP AHD/TVI, CVI 4MP, 2.7-13.5mm Varifocal lens, 0.001 low illumination, DWDR, 3DNT, UTC, Sense-up						
	5MP Starlight	SE-HMT78M	FH8538M+SONY335	5MP AHD/TVI, CVI 4MP, 0.001 low illumination, DWDR, 3DNT, UTC, Sense-up, 2.7-13.5mm Motorized lens						
	5MP Starlight	SE-HMT78M-L	FH8538M+SONY335	5MP AHD/TVI, CVI 4MP, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, 5-50mm Motorized lens(10x Optical zoom)						
8MP Starlight	SE-TM8S78M	FH8556H+SONY 415	8MP, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up, 2.7-13.5mm Motorized lens							

Hidden Camera and Fisheye Camera


NO.	Resolution	Model Number	Chipset	Specification	MOQ 50+	MOQ 200+	Feature Options	Pictures	IR Distance	Signal Output
80	1.3MP	SE-960Z02	XM310+H82	1.3MP/960P, 3.7mm pinhole lens, microphone						AHD
	2MP	SE-1080Z02	XM330+F37	2MP/1080P, 3.7mm pinhole lens, microphone						
81	1.3MP	SE-960M19	XM310+H82	1.3MP/960P, 3.7mm pinhole lens, microphone			Size 16x19mm			AHD
	2MP	SE-1080M19	XM330+F37	2MP/1080P, 3.7mm pinhole lens, microphone						
82	1.3MP	SE-960F15	XM310+H82	1.3MP/960P, 3.7mm pinhole lens			Size: 15x15mm			AHD in default 4 IN 1, AHD/TVI/CVI/BS
	2MP	SE-1080F15	NVP2441+SONY307	2MP/1080P, 3.7mm pinhole lens, 0.001 low illumination, 3.7mm pinhole lens						
83	1.3MP	SE-960Z03	XM310+H82	1.3MP/960P, 3.7mm pinhole lens, IP66 waterproof						AHD
	2MP	SE-1080Z03	NVP2441+SONY307	2MP/1080P, 3.7mm pinhole lens, 0.001 low illumination, IP66 waterproof						




84	1.3MP	SE-960W20	XM310+H82	1.3MP/960P, 1.78mm fisheye lens				fisheye door hole camera		Fisheye lens camera	AHD
	2MP	SE-1080W20	NVP2441+SONY307	2MP/1080P, 1.78mm fisheye lens, 0.001 low illumination,					Fisheye camera		
85	2MP	SE-1080MZ25	NVP2441+SONY323	2.4MP/1080P, 3.7mm pinhole lens, 0.01 low illumination, 3DNR, UTC etc.,				size: 25x25mm		Metal housing	AHD
86	2MP	SE-1080HMZ40	NVP2441+SONY323	2.4MP/1080P, 3.7mm pinhole lens, 0.01 low illumination, 3DNR, UTC etc., 8x 850nm or 940nm invisible IR optional				size: 40x40mm		Metal housing	AHD
87	2MP	SE-1080MZ32	FH8536H+F23	2MP/1080P, 3.7mm pinhole lens, low illumination, 3DNR, UTC, Sense-up				Size: 42x42mm		Metal housing	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080SZ32	FH8550M+SONY307	2.4MP/1080P, 3.7mm pinhole lens, 0.001 low illumination, 3DNR, UTC, Sense-up							
	5MP	SE-AM5MZ32	FH8538M+K05	5MP AHD/TVI, CVI 4MP, 3.7mm pinhole lens, 0.01 low illumination, 3DNR, UTC, Sense-up							
88	2MP	SE-1080Y03	FH8536H+F23	2MP/1080P, 3.7mm pinhole lens, low illumination, 3DNR,UTC, Sense-up						Plastic housing	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080SY03	FH8550M+SONY307	2.4MP/1080P, 3.7mm pinhole lens, 0.001 low illumination, 3DNR, UTC, Sense-up							
	5MP	SE-AM5Y03	FH8538M+K05	AHD/TVI 5MP, CVI 4MP, 3.7mm pinhole lens, 0.01 low illumination, 3DNR, UTC, Sense-up							
89	2MP	SE-1080FHY03	FH8536+SC7830	2.MP/1080P, 3.7mm pinhole lens, normal illumination						Plastic housing	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP	SE-1080RHY03	FH8536H+F23	2MP/1080P, 3.7mm pinhole lens, low illumination, 3DNR, UTC, Sense-up, with invisible IR							
	2MP Starlight	SE-1080RSY03	FH8550M+SONY307	2.4MP/1080P, 3.7mm pinhole lens, 0.001 low illumination, 3DNR, UTC, Sense-up, with invisible IR							
	5MP	SE-AM5RHY03	FH8538M+K05	AHD/TVI 5MP, CVI 4MP, 3.7mm pinhole lens, 0.01 low illumination, 3DNR, UTC, Sense-up, with invisible IR							
90	2MP	SE-1080HY02	FH8536H+F23	2MP/1080P, 3.7mm pinhole lens, low illumination, 3DNR,UTC, Sense-up						Plastic housing	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080SY02	FH8550M+SONY307	2.4MP/1080P, 3.7mm pinhole lens, 0.001 low illumination, 3DNR, UTC, Sense-up							
	5MP	SE-AM5HY02	FH8538M+K05	AHD/TVI 5MP, CVI 4MP, 3.7mm pinhole lens, 0.01 low illumination, 3DNR, UTC, Sense-up							
91	2MP	SE-1080HY05	FH8536H+F23	2MP/1080P, 3.7mm pinhole lens, low illumination, 3DNR,UTC, Sense-up						Plastic housing	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080SY05	FH8550M+SONY307	2.4MP/1080P, 3.7mm pinhole lens, 0.001 low illumination, 3DNR, UTC, Sense-up							
	5MP	SE-AM5HY05	FH8538M+K05	AHD/TVI 5MP, CVI 4MP, 3.7mm pinhole lens, 0.01 low illumination, 3DNR, UTC, Sense-up							
92	2MP	SE-1080TF10	XM330+2006	2MP/1080P, 1.8mm fisheye lens, DWDR, 3DNR, UTC, Sense-up						Plastic housing	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
		SE-1080FF10	FH8536H+GC2053	2MP/1080P, 1.8mm fisheye lens, low illumination, DWDR, 3DNR, UTC, Sense-up							
		SE-1080SF10	NVP2441+SONY307	2.4MP/1080P, 1.8mm fisheye lens, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up							
	5MP	SE-AW5PF10	FH8538E+GC2083	AHD/TVI 5MP, CVI 4MP, 1.8mm fisheye lens, DWDR, 3DNR, UTC, Sense-up							
		SE-AM5TF10	FH8538M+GC4653	5MP AHD/TVI, CVI 4MP, 1.8mm fisheye lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up							
5MP Starlight	SE-AM5SF10	FH8538M+SONY335	5MP AHD/TVI, CVI 4MP, 0.001 low illumination, DWDR, 3DNR, UTC, Sense-up								
93	2MP	SE-1080FF09	FH8536H+F23	2.1MP/1080P, 1.8mm fisheye lens, low illumination, 3DNR,UTC, Sense-up,						Metal housing	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	2MP Starlight	SE-1080SF09	FH8550M+SONY307	2.4MP/1080P, 1.8mm fisheye lens, 0.001 low illumination, 3DNR, UTC, Sense-up,							
	5MP	SE-AM5SF09	FH8538M+K05	5MP AHD/TVI, CVI 4MP, 1.8mm fisheye lens, 0.01 low illumination, DWDR, 3DNR, UTC, Sense-up							

license Plate number Recognition Analog Camera

94	2MP Starlight WDR	SE-LP1080T80	FH8550M+SONY327	1/2.8" Sony Starvis CMOS, 2.4MP/1080P, Starlight, WDR, 3DNR, UTC, Sense-up, 4x White Leds/Distance 35m; 2x IR Array leds/Distance 30m, Led light illumination adjustable, 5--50mm Varifocal lens. The maximum to see license plate number clearly is within 20 meters. This camera is suitable for gas station, parking lot, High speed intersection etc., where the vehicle speed is not fast.				6-22mm lens optional, reduce USD 6.00		Metal housing Dual light, 4x White led+2x IR Array leds/Distance 30m 5--50mm Varifocal lens	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
----	--------------------------	--------------	-----------------	---	--	--	--	---------------------------------------	---	---	---

HD Analog PTZ Camera

NO.	Resolution	Model Number	Chipset	Specification	MOQ 10+	MOQ 50+	Feature Options	Pictures	IR Distance	Signal Output
95	2MP	SE-D402-4X	Sony307+NVP2441	3.5 inch Mini AHD IR PTZ Camera, Vandalproof, IP66 5x Optical zoom(2.7-13.5mm Motorized lens) 4x IR Array leds/IR distance 35-40m Pan/Tilt/Zoom, Pan degree350(Pan speed:0-25°/s), Tilt:70 (Tilt speed:0-20°/s)			W90 Wall bracket+\$6.00		6x IR Array leds/Distance 35-40m	AHD in default 4 IN 1, AHD/TVI/CVI/CV BS
	5MP	SE-D405-4X	Sony335+NVP2477		B60 Junction box+\$5.00	3.5 inch, Metal housing, Vandalproof				

96	2MP	SE-HD402-20X	Sony307+NVP2441	4 inch mini AHD IR PTZ Camera, 20x Optical zoom(4.7-94mm), Sony CMOS, 8x IR Array leds/IR distance 80-100m Horizontal Speed 0.1°~100°/s, Vertical speed 0.1°~100°/s; PTZ control over UTC coaxial cable or RS485 Preset cruise, pattern scanning, Scanning, 360°horizontal scanning Outdoor, IP66 waterproof, DC12V/2A			Pole bracket/Wall bracket optional	 4.5 inch, Metal housing	6x IR Array leds/IR distance 80-100m	AHD in default 4 IN 1, AHD/TVI/CVI/CVBS
97	2MP	SE-HDM602-20X	Sony307+NVP2441	6 inch Full metal AHD IR PTZ Camera Horizontal Rotation Speed 0.1°~40°/s, Vertical rotation speed 0.1°~40°/s; PTZ Control over UTC coaxial cable or RS485 Preset cruise, pattern scanning, area scanning, 360°horizontal scanning Outdoor, IP66 waterproof, DC12V/4A			Pole bracket/Wall bracket optional	 6 inch, Middle Speed Dome	8x IR Array leds/IR distance 100-120m	AHD in default 4 IN 1, AHD/TVI/CVI/CVBS
	5MP	SE-HDM605-20X	Sony335+NVP2477							
	5MP Starlight	SE-HDM605-33X	Sony335+NVP2477							
98	2MP	SE-HDM702-20X	Sony307+NVP2441	7 inch Full metal AHD IR PTZ Camera Horizontal Rotation Speed 0.1°~40°/s, Vertical rotation speed 0.1°~40°/s; PTZ Control over UTC coaxial cable or RS485 Preset cruise, pattern scanning, area scanning, 360°horizontal scanning Outdoor, IP66 waterproof, DC12V/4A			Pole bracket/Wall bracket optional	 7 inch, Middle Speed Dome	8x IR Array leds/IR distance 100-120m	AHD in default 4 IN 1, AHD/TVI/CVI/CVBS
	5MP	SE-HDM705-20X	Sony335+NVP2477							
	5MP Starlight	SE-HDM705-33X	Sony335+NVP2477							

Business Terms:

1. Camera MOQ 50pcs each model, DVR MOQ 20pcs each model, the price will be 10% more if not match MOQ
2. Price term: EX-Factory, Shenzhen, China
3. Warranty: Two years
4. Welcome OEM/ODM orders
5. Payment terms: TT in advance

Shenzhen SecuMate Technology Co.,LTD

SecuMate®