



# Shenzhen SecuMate Technology Co.,LTD

Address: Building 2, Long Bi Industrial Zone, Ban Tian, Long Gang District, Shenzhen, China  
 Tel: +86 755 28748349 Fax: +86 755 28748349  
 Email: overseas@secumate.cn, WhatsApp: 0086 18926074581  
 Website: www.secumate.cn






## Lite Series HD IP Camera



### Plastic Dome Camera




Picture	Model	Res.	Chipset	Specifications	Price USD MQQ50+	Price USD MQQ200+	PoE Function	Feature Options	Comments
 <p><b>Top Selling</b></p> <p>Size: 109x90.78mm Plastic Housing, Indoor 36pcs/Carton</p>	SE-EM4HB37	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.			External POE+\$1.50	2.8mm lens+\$0.50	
	SE-H54HB37	4MP	T31N+SONY307	4MP, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.				Built in Microphone+\$0.50	
	SE-TN4HB37	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.				Built in Speaker+\$0.80	
	SE-QL4HB37	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, DC12V., <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>				TF Card Slot+\$2.00	
	SE-EM5HB37	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.					
	SE-QL5HB37	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.					
 <p>Size: 110x90.5mm Plastic Housing, Indoor 36pcs/Carton</p>	SE-EM4HB35	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.			External POE+\$1.50	2.8mm lens+\$0.50	
	SE-H54HB35	4MP	T31N+SONY307	4MP, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.				Built in Microphone+\$0.50	
	SE-TN4HB35	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.				Built in Speaker+\$0.80	
	SE-QL4HB35	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, DC12V., <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>				TF Card Slot+\$2.00	
	SE-EM5HB35	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.					
	SE-QL5HB35	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V.					

### Metal Dome Camera



 <p><b>Top Selling</b></p> <p>Size: 107x92mm Metal Housing, outdoor 36pcs/Carton</p>	SE-EM4HD40	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 20-25m, Human Detection, DC12V. IP66, Metal			External POE+\$1.50	2.8mm lens+\$0.50			
	SE-H54HD40	4MP	T31N+SONY307	4MP, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 20-25m, Human Detection, DC12V. IP66, Metal				Built in Microphone+\$0.50			
	SE-TN4HD40	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 20-25m, Human Detection, DC12V. IP66, Metal							
	SE-QL4HD40	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 20-25m, DC12V., IP66. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-EM5HD40	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 20-25m, Human Detection, DC12V. IP66, Metal							
	SE-QL5HD40	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 20-25m, Human Detection, DC12V. IP66, Metal							
 <p>Size: 111x95mm Metal Housing, Outdoor, with deep base to hidden cable 36pcs/Carton</p>	SE-QN6HD40	6MP VCA&WDR	T41NQ+GC6603	6MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 20-25m, DC12V, IP66, Metal. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>			External POE+\$1.50				
	SE-EM4HD82	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal				2.8mm lens+\$0.50			
	SE-H54HD82	4MP	T31N+SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal				Built in Microphone+\$0.50			
	SE-TN4HD82	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal				TF Card Slot+\$2.00			
	SE-QL4HD82	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, DC12V, IP66. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-EM5HD82	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing							
	SE-QL5HD82	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing							
	SE-QN6HD82	6MP VCA&WDR	T41NQ+GC6603	6MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, DC12V, IP66, Metal. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-QN8HD82	8MP VCA	T41NQ+GC4023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, DC12V, IP66, Metal. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-SQ8HD82	8MP VCA&WDR	T41NQ+GC8613	8MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, DC12V, IP66. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
 <p><b>Top Selling</b></p> <p>Size: 114x110mm Metal Housing, Outdoor 36pcs/Carton</p>	SE-EM4HD55	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal			External POE+\$1.50				
	SE-H54HD55	4MP	T31N+SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66				2.8mm lens+\$0.50			
	SE-TN4HD55	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing				Built in Microphone+\$0.50			
	SE-QL4HD55	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 20-25m, DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>				TF Card Slot+\$2.00			
	SE-EM5HD55	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing							
	SE-QL5HD55	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing							
	SE-D55HD55	5MP WDR	T40N+SONY335	5MP, <b>Starlight, Real WDR</b> , 1/2.8" SONY CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing							
	SE-QN6HD55	6MP VCA&WDR	T41NQ+GC6603	6MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-QN8HD55	8MP VCA	T41NQ+GC4023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-SQ8HD55	8MP VCA&WDR	T41NQ+GC8613	8MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-H58HD55	8MP	T40N+SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing							
	SE-D58HD55	8MP WDR	T40XP+SONY415	8MP, Starlight, <b>Real WDR</b> , 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP/3MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing							
										B50 Junction box +\$3.80	

 <p><b>Top Selling</b></p> <p>Size: 111x95mm Metal Housing, Outdoor, with deep base to hidden cable 36pcs/Carton</p>	SE-EM4HD303	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal							
	SE-H54HD303	4MP	T31N+SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66,							
	SE-TN4HD303	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal							
	SE-QL4HD303	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, True 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66, Metal <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-EM5HD303	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps; 4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal							
	SE-QL5HD303	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal							
	SE-DS5HD303	5MP WDR	T40N+SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal					Internal POE+\$1.50	2.8mm lens+\$0.50 Built in Microphone+\$0.50 Built in Speaker+\$0.80	
	SE-QN6HD303	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-QN8HD303	8MP VCA	T41NQ+GC4023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, DC12V, IP66, Metal housing <b>Smart functions(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-SQ8HD303	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, DC12V, IP66, Metal housing <b>Smart functions(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
SE-HS8HD303	8MP	T40N+SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing							B50 Junction box +\$3.80	


 <p><b>Top Selling</b></p> <p>Size: 127x118mm Metal Housing, Outdoor, with deep base to hidden cable 18pcs/Carton</p>	SE-EM4HD90	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP@20fps, 3MP/2MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66, Metal housing							
	SE-H54HD90	4MP	T31N+SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66, Metal housing							
	SE-TN4HD90	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66, Metal housing							
	SE-QL4HD90	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-EM5HD90	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, with IR-Cut, Human Detection, DC12V, IP66							
	SE-QL5HD90	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66, Metal housing							
	SE-DS5HD90	5MP WDR	T40N+SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, with IR-Cut, Human Detection, DC12V, IP66, Metal					Internal POE+\$1.50	2.8mm lens+\$0.50 Built in Microphone+\$0.50	
	SE-QN6HD90	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-QN8HD90	8MP VCA	T41NQ+GC8023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-SQ8HD90	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
SE-HS8HD90	8MP	T40N+SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 30-40m, with IR-Cut, Human Detection, DC12V, IP66, Metal							W90 Wall bracket +\$6.00 B90 Junction box +\$4.50	

  <p><b>Top Selling</b></p> <p>Size: 127x118mm Metal Housing, Outdoor, with deep base to hidden cable 18pcs/Carton</p>	SE-EM4HD92	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66, Metal							
	SE-H54HD92	4MP	T31N+SONY307	4MP, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66, Metal							
	SE-TN4HD92	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66, Metal housing							
	SE-QL4HD92	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-EM5HD92	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, with IR-Cut, Human Detection, DC12V, IP66, Metal							
	SE-QL5HD92	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66, Metal housing							
	SE-DS5HD92	5MP WDR	T40N+SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, with IR-Cut, Human Detection, DC12V, IP66, Metal					Internal POE+\$1.50	2.8mm lens+\$0.50 Built in Microphone+\$0.50 Built in Speaker+\$0.80 TF Card Slot+\$2.00	
	SE-QN6HD92	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-QN8HD92	8MP VCA	T41NQ+GC8023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
	SE-SQ8HD92	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, DC12V, IP66 <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>							
SE-HS8HD92	8MP	T40N+SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 30-40m, with IR-Cut, Human Detection, DC12V, IP66, Metal							W90 Wall bracket +\$6.00 B90 Junction box +\$4.50	








 <p>Size: 112x100.7mm Vandalproof, Metal Housing, 3 Axis bracket 24pcs/Carton</p>	SE-DS2HVD24	2MP WDR	T40N+ SONY307	2MP, True WDR, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 1080P@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof			Internal POE+\$1.50	2.8mm lens+\$0.50 Built in Microphone+\$0.50	
	SE-EM4HVD24	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-HS4HVD24	4MP	T31N+ SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-TN4HVD24	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 18x IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-QL4HVD24	4MP VCA	T41LQ+GC4023	4MP, 1/2.9" CMOS, H.265/H.264, True 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, DC12V, IP66, Vandalproof <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-EM5HVD24	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-QL5HVD24	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 18x IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-DS5HVD24	5MP WDR	T40N+ SONY335	5MP, Starlight, <b>Real WDR</b> , 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-QN6HVD24	6MP VCA&WDR	T41NQ+GC6603	6MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 12x SMT IR Leds, IR distance 20-25m, DC12V, IP66, Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-SQ8HVD24	8MP VCA&WDR	T41NQ+GC8613	8MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 12x IR Leds, IR distance 20-25m, DC12V, IP66, Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde )</b>					
	SE-HS8HVD24	8MP	T40N+ SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, with IR-Cut, Human Detection, DC12V, IP66					
	SE-DS8HVD24	8MP WDR	T40XP SONY415	8MP, Starlight, <b>Real WDR</b> , 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, with IR-Cut, Human Detection, DC12V, IP66					

B24 Junction box+\$4.50

 <p>Size: 112.2x100.8mm Vandalproof, Metal Housing, 3 Axis bracket 24pcs/Carton</p> <p><b>Top Selling</b></p>	SE-DS2HFD28	2MP WDR	T40N+ SONY307	2MP, Starlight, True WDR, 1/2.8" SONY CMOS, H.265/H.264, 1080P@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof			Internal POE+\$1.50	2.8mm lens+\$0.50 Built in Microphone+\$0.50 Built in Speaker+\$0.80 TF Card Slot+\$2.00	
	SE-EM4HFD28	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-HS4HFD28	4MP	T31N+ SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-TN4HFD28	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 18x IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-QL4HFD28	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, True 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, DC12V, IP66, Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-EM5HFD28	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-QL5HFD28	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 18x IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof					
	SE-DS5HFD28	5MP WDR	T40N+ SONY335	5MP, Starlight, <b>Real WDR</b> , 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, Human Detection, DC12V, IP66, Vandalproof, IP66, TF Card slot					
	SE-QN6HFD28	6MP VCA&WDR	T41NQ+GC6603	6MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, DC12V, IP66, Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-SQ8HFD28	8MP VCA&WDR	T41NQ+GC8613	8MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 18x IR Leds, IR distance 20-25m, DC12V, IP66, Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-HS8HFD28	8MP	T40N+ SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, with IR-Cut, Human Detection, DC12V, IP66, Vandalproof					
	SE-DS8HFD28	8MP WDR	T40XP+ SONY415	8MP, Starlight, <b>Real WDR</b> , 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP@25fps, 3.6mm lens, 18x SMT IR Leds, IR distance 20-25m, with IR-Cut, Human Detection, DC12V, IP66, Vandalproof					


**Manual Varifocal Zoom Dome Camera**


 <p>Vandalproof, Metal Housing 18pcs/Carton</p>	SE-EM4HVD68	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 2.7-13.5mm Manual Varifocal lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Vandalproof			Internal POE+\$1.50	
	SE-HS4HVD68	4MP	T31N+ SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 2.7-13.5mm Manual Varifocal lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Vandalproof				
	SE-EM5HVD68	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Manual Varifocal lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Vandalproof				
	SE-QL5HVD68	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 2.7-13.5mm Manual Varifocal lens, 18x IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Vandalproof				
 <p>Size: 140x108mm Vandalproof, Metal Housing 18pcs/Carton</p>	SE-EM4HVD58	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 2.7-13.5mm Varifocal lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Vandalproof			Internal POE+\$1.50	 
	SE-HS4HVD58	4MP	T31N+ SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 2.7-13.5mm Varifocal lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Vandalproof				
	SE-EM5HVD58	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Varifocal lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Vandalproof				
	SE-QL5HVD58	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 2.7-13.5mm Manual Varifocal lens, 18x IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Vandalproof				

W90 Wall bracket+\$ 6.00  
B11 Junction box+\$5.50

**Motorized Zoom Dome Camera**

 <p><b>Motorized Zoom</b></p> <p><b>Top Selling</b></p> <p>Size: 127x118mm, Metal 18pcs/Carton</p>	SE-EM3HD90M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 6x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66			Internal POE+\$1.50	Built in Microphone+\$0.50	
	SE-HS3HD90M	3MP	T31N+SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 6x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66					
	SE-QN4HD90M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 6x IR Array Leds, IR distance 30-40m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-EM5HD90M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 6x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66					
	SE-QN6HD90M	6MP VCA&WDR	T41NQ+GC6603	6MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 6x IR Array Leds, IR distance 30-40m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
 <p><b>Motorized Zoom</b></p> <p>Size: 127x118mm, Metal 18pcs/Carton</p>	SE-EM3HD92M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 2x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66			Internal POE+\$1.50	Built in Microphone+\$0.50 TF Card Slot+\$2.00	
	SE-HS3HD92M	3MP	T31N+SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 2x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66					
	SE-QN4HD92M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 6x IR Array Leds, IR distance 30-40m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-EM5HD92M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 6x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66					
	SE-QN6HD92M	6MP VCA&WDR	T41NQ+GC6603	6MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 6x IR Array Leds, IR distance 30-40m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
 <p><b>Top Selling</b></p> <p><b>Motorized Zoom</b></p> <p>Size: 112.2x100.8mm Vandalproof, Metal Housing, 3 Axis bracket 24pcs/Carton</p>	SE-EM3HVD28M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			Internal POE+\$1.50	Built in Microphone+\$0.50 TF Card Slot+\$2.00 1ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00	
	SE-HS3HVD28M	3MP	T31N+SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-TN4HVD28M	4MP	T31X+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-QN4HVD28M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-EM5HVD28M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps; 4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-QN5HVD28M	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-D55HVD28M	5MP WDR	T40N+SONY335	5MP, Starlight, <b>Real WDR</b> , 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-QN6HVD28M	6MP VCA&WDR	T41NQ+GC6603	6MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-SQ8HVD28M	8MP VCA&WDR	T41NQ+GC8613	8MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-HS8HVD28M	8MP	T40N+SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
 <p><b>Motorized Zoom</b></p> <p>Vandalproof, Metal Housing, Outdoor 18pcs/Carton</p>	SE-EM3HVD68M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			Internal POE+\$1.50	TF Card Slot+\$2.00 1ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00	
	SE-HS3HVD68M	3MP	T31N+SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-TN4HVD68M	4MP	T31X+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-QN4HVD68M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-EM5HVD68M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps; 4MP/3MP/2MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-QN5HVD68M	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-D55HVD68M	5MP WDR	T40N+SONY335	5MP, Starlight, <b>Real WDR</b> , 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
	SE-QN6HVD68M	6MP VCA&WDR	T41NQ+GC6603	6MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-SQ8HVD68M	8MP VCA&WDR	T41NQ+GC8613	8MP, <b>Real WDR</b> , 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-HS8HVD68M	8MP	T40N+SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof					
SE-D58HVD68M	8MP WDR	T40XP+SONY415	8MP, Starlight, <b>Real WDR</b> , 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP/3MP@25fps, <b>2.7-13.5mm Motorized lens</b> , 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof						

 <p><b>Motorized Zoom</b></p> <p><b>Top Selling</b></p> <p>Size: 140x107mm Vandalproof, Metal Housing, Outdoor 18pcs/Carton</p>	SE-EM3HVD58M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			<p>Internal POE+\$15.50</p> <p>Built in Microphone+\$0.50</p> <p>TF Card Slot+\$2.00</p> <p>1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00</p>    <p>Wall bracket+\$ 6.00 B11 Junction Box+\$5.50</p>
	SE-HS3HVD58M	3MP	T31N+SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-TN4HVD58M	4MP	T31X+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-QN4HVD58M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)			
	SE-EM5HVD58M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps; 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-DS2HVD58M	2MP WDR	T40N+SONY307	2MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-QN5HVD58M	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-DSS5HVD58M	5MP WDR	T40N+SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-QN6HVD58M	6MP VCA+WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)			
	SE-SQ8HVD58M	8MP VCA+WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)			
SE-HS8HVD58M	8MP	T40N+SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof				
SE-DS8HVD58M	8MP WDR	T40XP+SONY415	8MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof				
 <p><b>Motorized Zoom</b></p> <p>Size: 140x107mm Vandalproof, Metal Housing, Outdoor 18pcs/Carton</p>	SE-EM3HVD32M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			<p>Internal POE+\$15.50</p> <p>Built in Microphone+\$0.50</p> <p>TF Card Slot+\$2.00</p> <p>1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00</p>   <p>Wall bracket+\$ 6.00</p>
	SE-HS3HVD32M	3MP	T31N+SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-TN4HVD32M	4MP	T31X+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-QN4HVD32M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)			
	SE-EM5HVD32M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps; 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-DS2HVD32M	2MP WDR	T40N+SONY307	2MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-QN5HVD32M	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-DSS5HVD32M	5MP WDR	T40N+SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-QN6HVD32M	6MP VCA+WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.9" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)			
	SE-SQ8HVD32M	8MP VCA+WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)			
SE-HS8HVD32M	8MP	T40N+SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof				
SE-DS8HVD32M	8MP WDR	T40XP+SONY415	8MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof				
 <p><b>Motorized Zoom</b></p> <p>Size: 157x129mm Vandalproof, Metal Housing, Outdoor 18pcs/Carton</p>	SE-HS3HVD69	3MP	T31N+SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 32x IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			<p>Internal POE+\$15.50</p> <p>Built in Microphone+\$0.50</p> <p>TF Card Slot+\$2.00</p> <p>1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00</p>   <p>Wall bracket+\$ 6.00</p>
	SE-TN4HVD69	4MP	T31X+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-QN4HVD69	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 32x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)			
	SE-EM5HVD69	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps; 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-DS2HVD69	2MP WDR	T40N+SONY307	2MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 2MP@25fps, 2.7-13.5mm Motorized lens, 32x IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-QN5HVD69	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 18x SMT IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-DSS5HVD69	5MP WDR	T40N+SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 32x IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
	SE-QN6HVD69	6MP VCA+WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 32x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)			
	SE-SQ8HVD69	8MP VCA+WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 2.7-13.5mm Motorized lens, 32x SMT IR Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)			
	SE-HS8HVD69	8MP	T40N+SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 32x IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof			
SE-DS8HVD69	8MP WDR	T40XP+SONY415	8MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 32x IR Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof				

 <p><b>Motorized Zoom</b></p> <p>Size: 120x95mm Vandalproof, Metal Housing, Outdoor 12pcs/Carton</p>	SE-EM3HVD66	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66. Vandalproof						
	SE-HS3HVD66	3MP	T31N+SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66. Vandalproof						
	SE-QN4HVD66	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66. Vandalproof <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-EM5HVD66	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66. Vandalproof						
	SE-DS2HVD66	2MP WDR	T40N+ SONY307	2MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66. Vandalproof						
	SE-QN5HVD66	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66. Vandalproof						
	SE-DS5HVD66	5MP WDR	T40N+ SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66. Vandalproof						
	SE-QN6HVD66	6MP VCA&WDR	T41NQ+GC5603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-SQ8HVD66	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/6MP/5MP/4MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66. Vandalproof, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-HS8HVD66	8MP	T40N+ SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66. Vandalproof						
SE-DS8HVD66	8MP WDR	T40X+ SONY415	8MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 30-40m, Human Detection, DC12V, IP66. Vandalproof							

Built in Microphone+\$0.50

TF Card Slot+\$2.00





1ch Audio in/1ch output: 1ch Alarm in/1ch output+\$3.00

Internal POE+\$1.50



Wall bracket +\$6.00  
865 Junction Box +\$5.50

**Fix Bullet Camera**

 <p><b>Metal Housing 40pcs/Carton</b></p>	SE-EM4T05	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 20-25m, Human detection, DC12V, IP66						
	SE-EM5T05	5MP	T31X+GC4653	5MP, 1/2.7" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 6x IR Array Leds, IR distance 20-25m, With IR-CUT, Human detection, DC12V, IP66						
 <p><b>Top Selling</b></p> <p><b>Metal Housing 20pcs/Carton</b></p>	SE-EM4T21	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-HS4T21	4MP	T31N+ SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-TN4T21	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing						
	SE-QL4T21	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 20-25m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-EM5T21	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps; 4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-QL5T21	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66, Metal housing						
	SE-DS5T21	5MP WDR	T40N+ SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-QN6T21	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-QN8T21	8MP VCA	T41NQ+GC4023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-SQ8T21	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-HS8T21	8MP	T40N+ SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human detection, DC12V, IP66							
SE-DS8T21	8MP	T40X+ SONY415	8MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human detection, DC12V, IP66							
 <p><b>Top Selling</b></p> <p><b>Metal Housing 20pcs/Carton</b></p>	SE-EM4T37	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 3x IR Array Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-HS4T37	4MP	T31N+ SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 3x IR Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-TN4T37	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 3x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66						
	SE-QL4T37	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 3x IR Array Leds, IR distance 20-25m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-EM5T37	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps; 4MP/3MP/2MP@25fps, 3.6mm lens, 3x IR Array Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-QL5T37	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 3x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66						
	SE-QN6T37	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 3x IR Array Leds, IR distance 25-30m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-SQ8T37	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 3x IR Array Leds, IR distance 25-30m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
 <p><b>Metal Housing 20pcs/Carton</b></p>	SE-EM4T27	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-HS4T27	4MP	T31N+ SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-TN4T27	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66						
	SE-QL4T27	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 20-25m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-EM5T27	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps; 4MP/3MP/2MP@25fps, 3.6mm lens, 3x IR Array Leds, IR distance 25-30m, Human detection, DC12V, IP66						
	SE-QL5T27	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, Human Detection, DC12V, IP66						
	SE-QN6T27	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, 3x IR Array Leds, IR distance 25-30m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
	SE-SQ8T27	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, 4x IR Array Leds, IR distance 25-30m, DC12V, IP66, <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						

Internal POE+\$1.50

2.8mm lens+\$0.50

Internal POE+\$1.50

2.8mm lens+\$0.50

Built in Microphone+\$0.50

Built in Speaker+\$0.80

TF Card Slot+\$2.00



812 Junction Box+\$5.00

Internal POE+\$1.50

2.8mm lens+\$0.50

Built in Microphone+\$0.50

Internal POE+\$1.50

2.8mm lens+\$0.50


Built in Microphone+\$0.50










 <p><b>Motorized Zoom</b></p>	SE-DS2T65M	2MP WDR	T40N+ SONY307	2MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-EM3T65M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-HS3T65M	3MP	T31N+ SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-TN4T65M	4MP Real	T31X+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-QN4T65M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, DC12V, IP66 <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-EM5T65M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-QL5T65M	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-DS5T65M	5MP WDR	T40N+ SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-QN6T65M	6MP VCA	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP@20fps, 5MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, DC12V, IP66 <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-HS8T65M	8MP	T40N+ SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP@20fps, 3MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-SQ8T65M	8MP VCA	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP@15fps, 5MP@20fps, 3MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, DC12V, IP66 <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-DS8T65M	8MP WDR	T40XP+ SONY415	8MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP@25fps, 3MP@25fps, True WDR, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					

Internal POE+\$1.50

Built in Microphone+\$0.50  
1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00



B11 Junction Box+\$5.50

 <p><b>Motorized Zoom</b></p>	SE-DS2T55M	2MP WDR	T40N+ SONY307	2MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 2MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-EM3T55M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-HS3T55M	3MP	T31N+ SONY307	3MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-TN4T55M	4MP Real	T31X+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-QN4T55M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, DC12V, IP66 <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-EM5T55M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-QL5T55M	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 35-40m, Human detection, DC12V, IP66					
	SE-DS5T55M	5MP WDR	T40N+ SONY335	5MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-QN6T55M	6MP VCA	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP@20fps, 5MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, DC12V, IP66 <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-HS8T55M	8MP	T40N+ SONY415	8MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP@20fps, 3MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					
	SE-SQ8T55M	8MP VCA	T41NQ+ GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP@15fps, 5MP@20fps, 3MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, DC12V, IP66 <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>					
	SE-DS8T55M	8MP WDR	T40XP+ SONY415	8MP, Starlight, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP@25fps, 3MP@25fps, 2.7-13.5mm Motorized lens, 6x IR Array Leds, IR distance 40-50m, Human detection, DC12V, IP66					







Internal POE+\$1.50





1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00



B11 Junction Box+\$5.50

**Special IP Camera**

 <p>Size: 20x80mm, Metal IP67</p>	SE-EM4BT60	4MP	T31N+GC4063	4MP, 1/2.7" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 3.6mm lens, Human detection, DC12V, Full Metal housing, IP67			External POE+\$1.50		
 <p>Full Metal, Vehicle Camera 36pcs/Carton</p>	SE-EM4HM20	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 3.6mm lens, 12x IR leds/Distance 10-15m, Human detection, DC12V			External POE+\$1.50	2.8mm lens+\$0.50	
	SE-HS4HM20	4MP	T31N+ SONY307	4MP, 1/2.8" SONY CMOS, low illumination H.265/H.264, 4MP@20fps, 3MP@25fps, 3.6mm lens, 12x IR leds/Distance 10-15m, Human detection, DC12V					
	SE-EM5HM20	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 3.6mm lens, 12x IR leds/Distance 10-15m, Human detection, DC12V					
 <p>Full Metal 100pcs/Carton</p>	SE-EM4M232	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 3.7mm pinhole lens, Human detection, DC12V			External POE+\$1.50	Built in Microphone+\$1.00	
	SE-HS4M232	4MP	T31N+ SONY307	4MP, 1/2.8" SONY CMOS, low illumination H.265/H.264, 4MP@20fps, 3MP@25fps, 3.7mm pinhole lens, Human detection, DC12V					
	SE-EM5M232	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 3.7mm pinhole lens, Human detection, DC12V					
 <p>Plastic, White housing 20pcs/Carton</p>	SE-EM4HY03	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 3.7mm pinhole lens, 940nm Invisible IR Leds/15 meters, Human detection, DC12V			External POE+\$1.50	Built in Microphone+\$1.00	
	SE-HS4HY03	4MP	T31N+ SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 3.7mm pinhole lens, Invisible IR Leds/Distance 15m, DC12V					
	SE-EM5HY03	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 3.7mm pinhole lens, 940nm Invisible IR Leds/Distance 15m, Human detection, DC12V					48pcs 940nm Invisible IR Leds,
 <p>Plastic, White housing 20pcs/Carton</p>	SE-EM4Y20	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 3.7mm pinhole lens, Human detection, DC12V			External POE+\$1.50		
	SE-HS4Y20	4MP	T31N+ SONY307	4MP, 1/2.8" SONY CMOS, low illumination H.265/H.264, 4MP@20fps, 3MP@25fps, 3.7mm pinhole lens, Human detection, DC12V					
	SE-EM5Y20	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 3.7mm pinhole lens, Human detection, DC12V					
 <p>Metal, White housing 36pcs/Carton</p>	SE-EM4HF10	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 1.7mm Fisheye lens, 3x IR Array leds, IR distance 15m, Human detection, DC12V			External POE+\$1.50	Built in Microphone+\$1.00	
	SE-HS4HF10	4MP	T31N+ SONY307	4MP, 1/2.8" SONY CMOS, H.265/H.264, 4MP@20fps, 3MP@25fps, 1.7mm Fisheye lens, 3x IR Array leds/Distance 15m, Human detection, DC12V					
	SE-EM5HF10	5MP	T31X+GC4653	5MP, 1/2.7" CMOS, H.265/H.264, 5MP@20fps, 4MP@25fps, 1.7mm Fisheye lens, 3x IR Array leds, IR distance 15m, Human detection, DC12V					
	SE-HS8HF10	8MP	T40N+ SONY415	8MP, 1/2.8" SONY 8MP CMOS, H.265/H.264, 8MP@15fps, 5MP@25fps, 1.7mm Fisheye lens, 3x IR Array leds, IR distance 15m, IP66, DC12V, POE					Junction box+\$5.00

Picture	Model	Res.	Chipset	Specifications	Price USD MOQ 50+	Price USD MOQ200+	POE	Feature Options	Comments
 <p>ColorVu Top Selling</p> <p>Plastic Housing, Indoor 36pcs/Carton</p>	SE-EM4WB37	4MP	T31N+GC4023	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V			External POE+\$1.50	2.8mm lens+\$0.50 Built in Microphone+\$0.50 Built in Speaker+\$0.80 TF Card Slot+\$2.00	
	SE-HS4WB37	4MP	T31N+SONY307	4MP, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V					
	SE-TN4HB37	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V					
	SE-QL4WB37	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, True 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
	SE-EM5WB37	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V					
	SE-QL5WB37	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V					
	SE-QN8WB37	8MP VCA	T41NQ+GC8023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
 <p>ColorVu</p> <p>Metal Housing, Outdoor 36pcs/Carton</p>	SE-EM4WD40	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 20m+ Infrared led 25m), Human Detection, DC12V, IP66			External POE+\$1.50	2.8mm lens+\$0.50 Built in Microphone+\$0.50	
	SE-HS4WD40	4MP	T31N+SONY307	4MP, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 20m+ Infrared led 25m), Human Detection, DC12V, IP66					
	SE-TN4WD40	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 20m+ Infrared led 25m), Human Detection, DC12V, IP66					
	SE-QL4WD40	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, True 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 20m+ Infrared led 25m), IP66, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
	SE-EM5WD40	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 20m+ Infrared led 25m), Human Detection, DC12V, IP66					
	SE-QN5WD40	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 20m+ Infrared led 25m), Human Detection, DC12V, IP66					
	SE-QN6WD40	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 20m+ Infrared led 25m), DC12V, IP66, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
 <p>ColorVu</p> <p>Size: 111x95mm Metal Housing, Outdoor, with deep base to hidden cable 36pcs/Carton</p>	SE-EM4WD82	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal			External POE+\$1.50	2.8mm lens+\$0.50 Built in Microphone+\$0.50	
	SE-HS4WD82	4MP	T31N+SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@20fps, 1080P@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal housing					
	SE-TN4WD82	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal					
	SE-QL4WD82	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
	SE-EM5WD82	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal					
	SE-QL5WD82	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal					
	SE-D55WD82	5MP WDR	T40N+SONY335	5MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human detection, DC12V, IP66, Metal housing					
	SE-QN6WD82	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing. Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
	SE-QN8WD82	8MP VCA	T41NQ+GC8023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
	SE-SQ8WD82	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
SE-HS8WD82	8MP	T40N+SONY415	8MP, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human detection, DC12V, IP66, Metal housing						
 <p>ColorVu Top Selling</p> <p>Size: 114x110mm Metal Housing, Outdoor 36pcs/Carton</p>	SE-EM4WD55	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal			External POE+\$1.50	2.8mm lens+\$0.50 Built in Microphone+\$0.50 Built in Speaker+\$0.80	
	SE-HS4WD55	4MP	T31N+SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@20fps, 1080P@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal housing					
	SE-TN4WD55	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal					
	SE-QL4WD55	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
	SE-EM5WD55	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal					
	SE-QL5WD55	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal					
	SE-D55WD55	5MP WDR	T40N+SONY335	5MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human detection, DC12V, IP66, Metal housing					
	SE-QN6WD55	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing. Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
	SE-QN8WD55	8MP VCA	T41NQ+GC8023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal, Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
	SE-SQ8WD55	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing. Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)					
SE-HS8WD55	8MP	T40N+SONY415	8MP, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human detection, DC12V, IP66, Metal housing						
SE-DS8WD55	8MP WDR	T40XP+SONY415	8MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20fps, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human detection, DC12V, IP66, Metal housing						



B50 Junction box+\$4.00

24/7 Colorful Imaging



Top Selling

ColorVu

Size: 111x95mm  
Metal Housing, Outdoor, with deep base to hidden cable  
36pcs/Carton

SE-EM4WD303	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66,
SE-HS4WD303	4MP	T31N+SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@20fps, 1080P@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66, Metal housing
SE-TN4WD303	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66
SE-QL4WD303	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-EM5WD303	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66
SE-QL5WD303	5MP Real	T41LQ+GC6603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human Detection, DC12V, IP66,
SE-QN6WD303	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-QN8WD303	8MP VCA	T41NQ+GC8023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-SQ8WD303	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-HS8WD303	8MP	T40N+ SONY415	8MP, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 25m+ Infrared led 30m), Human detection, DC12V, IP66, Metal housing

External POE+\$1.50

2.8mm lens+\$0.50  
Built in Microphone+\$0.50  
Built in Speaker+\$0.80



B50 Junction box+\$4.00

24/7 Colorful Imaging



ColorVu

Size: 127x118mm  
Metal Housing, Outdoor, with deep base to hidden cable  
18pcs/Carton

SE-EM4WD90	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66
SE-HS4WD90	4MP	T31N+SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@20fps, 1080P@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66, Metal housing
SE-TN4WD90	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66
SE-QL4WD90	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-EM5WD90	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66
SE-QL5HD90	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66,
SE-DS5WD90	5MP WDR	T40N+SONY335	5MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66, Metal housing
SE-QN6WD90	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-QN8WD90	8MP VCA	T41NQ+GC8023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-SQ8WD90	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-HS8WD90	8MP	T40N+ SONY415	8MP, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human detection, DC12V, IP66, Metal housing
SE-DS8WD90	8MP WDR	T40XP+ SONY415	8MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20ps, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human detection, DC12V, IP66, Metal housing

External POE+\$1.50

2.8mm lens+\$0.50  
Built in Microphone+\$0.50



B50 Junction box+\$4.00

24/7 Colorful Imaging



ColorVu

Top Selling

Size: 127x118mm  
Metal Housing, Outdoor, with deep base to hidden cable  
18pcs/Carton

SE-EM4WD92	4MP	T31N+GC4063	4MP, 1/2.9" CMOS, H.265/H.264, 4MP/3MP@20fps, 3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66
SE-HS4WD92	4MP	T31N+SONY307	4MP, Starlight, 1/2.8" SONY CMOS, H.265/H.264, 4MP/3MP@20fps, 2MP@20fps, 1080P@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66, Metal housing
SE-TN4WD92	4MP Real	T31N+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66
SE-QL4WD92	4MP VCA	T41LQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, Real 4MP/3MP@20fps, 2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-EM5WD92	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66
SE-QL5HD92	5MP Real	T41LQ+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66,
SE-DS5WD92	5MP WDR	T40N+SONY335	5MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human Detection, DC12V, IP66, Metal housing
SE-QN6WD92	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP/3MP/2MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-QN8WD92	8MP VCA	T41NQ+GC8023	8MP, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-SQ8WD92	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), DC12V, IP66, Metal housing <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>
SE-HS8WD92	8MP	T40N+ SONY415	8MP, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human detection, DC12V, IP66, Metal housing
SE-DS8WD92	8MP WDR	T40XP+ SONY415	8MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@20ps, 5MP/4MP/3MP@25fps, 3.6mm lens, Dual Lights(Warm light 30m+ Infrared led 40m), Human detection, DC12V, IP66, Metal housing

External POE+\$1.50

2.8mm lens+\$0.50  
Built in Microphone+\$0.50  
TF Card Slot+\$2.00



B50 Junction box+\$4.00





24/7 Colorful Imaging



ColorVu, Motorized Zoom

Metal Housing, Outdoor 18pcs/Carton

24/7 Colorful Imaging



ColorVu, Motorized Zoom

Metal Housing, Outdoor 18pcs/Carton

24/7 Colorful Imaging



ColorVu, Motorized Zoom

Top Selling

Metal Housing, Outdoor 18pcs/Carton



Metal Housing




Plastic Housing

SE-EM3WT77M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human Detection, DC12V, IP66, Metal housing						
SE-HS3WT77M	3MP	T31N+SONY307	3MP, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human Detection, DC12V, IP66, Metal housing						
SE-QN4WT77M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-EM5WT77M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, Metal housing						
SE-QL5WT77M	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real5MP/4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human Detection, DC12V, IP66, Metal housing						
SE-D55WT77M	5MP WDR	T40N+SONY335	5MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, Metal housing						
SE-QN6WT77M	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-SQ8WT77M	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-HS8WT77M	8MP	T40N+SONY415	8MP, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, IP66, Metal housing						
SE-DS8WT77M	8MP WDR	T40XP+SONY415	8MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, IP66, Metal housing						
SE-EM3WT80M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human Detection, DC12V, IP66, Metal housing						
SE-HS3WT80M	3MP	T31N+SONY307	3MP, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human Detection, DC12V, IP66, Metal housing						
SE-QN4WT80M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-EM5WT80M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, Metal housing						
SE-QL5WT80M	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real5MP/4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human Detection, DC12V, IP66, Metal housing						
SE-D55WT80M	5MP WDR	T40N+SONY335	5MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, Metal housing						
SE-QN6WT80M	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-SQ8WT80M	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-HS8WT80M	8MP	T40N+SONY415	8MP, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, IP66, Metal housing						
SE-DS8WT80M	8MP WDR	T40XP+SONY415	8MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, IP66, Metal housing						
SE-EM3WT90M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human Detection, DC12V, IP66, Metal housing						
SE-HS3WT90M	3MP	T31N+SONY307	3MP, 1/2.8" SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human Detection, DC12V, IP66, Metal housing						
SE-QN4WT90M	4MP VCA	T41NQ+GC4023	4MP, 1/2.7" CMOS, H.265/H.264, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-EM5WT90M	5MP	T31X+GC4653	5MP, 1/3" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, Metal housing						
SE-QL5WT90M	5MP Real	T40N+GC5603	5MP, 1/2.7" CMOS, H.265/H.264, Real5MP/4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human Detection, DC12V, IP66, Metal housing						
SE-D55WT90M	5MP WDR	T40N+SONY335	5MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, Metal housing						
SE-QN6WT90M	6MP VCA&WDR	T41NQ+GC6603	6MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 6MP/5MP/4MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-SQ8WT90M	8MP VCA&WDR	T41NQ+GC8613	8MP, Real WDR, 1/2.7" CMOS, H.265/H.264, 8MP/5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), DC12V, IP66, Metal housing. <b>Video Analysis(Area intrusion, Absent alarm, Loitering, Line crossing detection, Vehicle illegal parking, Retrograde detection)</b>						
SE-HS8WT90M	8MP	T40N+SONY415	8MP, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, IP66, Metal housing						
SE-DS8WT90M	8MP WDR	T40XP+SONY415	8MP, Real WDR, 1/2.8" SONY CMOS, H.265/H.264, 8MP@15fps, 5MP/4MP/3MP@25fps, 2.7-13.5mm Motorized lens, Dual lights(Warm light 40m+Infrared 50m), Human detection, DC12V, IP66, Metal housing						
<b>Wifi Camera Series</b>									
SE-WF-EM3T21	3MP	T31N+GC4063	3MP, Wifi, H.265/H.264, 3MP@20fps, 2MP@25fps, 3.6mm lens, 4x Dual Light Leds, IR distance 20-25m, Support TF card slot(512G), Microphone, Speaker, DC12V, Metal housing						
SE-WF-EM5T21	5MP	T31X+GC4653	5MP, Wifi, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 4x Dual Light Leds, IR distance 20-25m, Support TF card slot(512G), Microphone, Speaker, DC12V, Metal housing						
SE-WF-EM3P40	3MP	T31N+GC4063	3MP, Wifi, H.265/H.264, 3MP@20fps, 2MP@25fps, 4mm lens, 10x Dual Light Leds, IR distance 30-40m, Support TF card slot(512G), Microphone, Speaker, DC12V, Plastic housing						
SE-WF-EM5P40	5MP	T31X+GC4653	5MP, Wifi, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 4mm lens, 4x Dual Light Leds, IR distance 30-40m, Support TF card slot(512G), Microphone, Speaker, DC12V, Plastic housing						
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>Internal POE+\$1.50</p> <p>Built in Microphone+\$0.50</p> <p>Built in Speaker+\$0.80</p> <p>TF Card Slot+\$2.00</p> <p>1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00</p> </div> <div style="width: 45%; text-align: right;"> <p>B11 Junction Box+\$5.50</p> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>Internal POE+\$1.50</p> <p>Built in Microphone+\$0.50</p> <p>Built in Speaker+\$0.80</p> <p>TF Card Slot+\$2.00</p> <p>1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00</p> </div> <div style="width: 45%; text-align: right;"> <p>B11 Junction Box+\$5.50</p> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>Internal POE+\$1.50</p> <p>Built in Microphone+\$0.50</p> <p>Built in Speaker+\$0.80</p> <p>TF Card Slot+\$2.00</p> <p>1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00</p> </div> <div style="width: 45%; text-align: right;"> <p>B11 Junction Box+\$5.50</p> </div> </div>									
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>Internal POE+\$1.50</p> <p>Built in Microphone+\$0.50</p> <p>Built in Speaker+\$0.80</p> <p>TF Card Slot+\$2.00</p> <p>1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00</p> </div> <div style="width: 45%; text-align: right;"> <p>B11 Junction Box+\$5.50</p> </div> </div>									

Built in Microphone+\$0.50

TF Card Slot+\$2.00

1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00




B11 Junction Box+\$5.50

Built in Microphone+\$0.50

Built in Speaker+\$0.80

TF Card Slot+\$2.00

1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00




B11 Junction Box+\$5.50

Built in Microphone+\$0.50

Built in Speaker+\$0.80

TF Card Slot+\$2.00

1 ch Audio in/1ch output; 1ch Alarm in/1ch output+\$3.00










B11 Junction Box+\$5.50






- 1) Support Microphone and Speaker
- 2) Support Reset, TF card slot (max 512G)
- 3) Support human detection to trigger alarm
- 4) 3DB WiFi antenna

- 1) Support Microphone and Speaker
- 2) Support Reset, TF card slot (max 512G)
- 3) Support human detection to trigger alarm
- 4) 5DB WiFi antenna











 WIFI Camera Plastic Housing	SE-WF-EM3T21	3MP	T31N+GC4063	3MP, Wifi, H.265/H.264, 3MP@20fps, 2MP@25fps, 3.6mm lens, 4x Dual Light Leds, IR distance 20-25m, Support TF card slot(S12G), Microphone, Speaker, DC12V. Plastic				1) Support Microphone and Speaker 2) Support Reset, TF card slot (max 512G) 3) Support human detection to trigger alarm 4) FCP antenna
	SE-WF-EM5T21	5MP	T31X+GC4653	5MP, Wifi, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 4x Dual Light Leds, IR distance 20-25m, Support TF card slot(S12G), Microphone, Speaker, DC12V, Plastic				
 WIFI Camera Metal Housing	SE-WF-EM3VD28	3MP	T31N+GC4063	3MP, Wifi, H.265/H.264, 3MP@20fps, 2MP@25fps, 3.6mm lens, 18x IR Leds, IR distance 20-25m, Support TF card slot(S12G), Microphone, Speaker, Metal, Vandalproof, DC12V.				1) Support Microphone and Speaker 2) Support Reset, TF card slot (max 512G) 3) Support human detection to trigger alarm 4) FCP antenna
	SE-WF-EM5VD28	5MP	T31X+GC4653	5MP, Wifi, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 18x IR Leds, IR distance 20-25m, Support TF card slot(S12G), Microphone, Speaker, Metal, Vandalproof, DC12V.				
 WIFI Camera Metal Housing	SE-WF-EM3VD25	3MP	T31N+GC4063	3MP, Wifi, H.265/H.264, 3MP@20fps, 2MP@25fps, 3.6mm lens, 2x IR Leds, IR distance 20-25m, Support TF card slot(S12G), Microphone, Speaker, Metal, Vandalproof, DC12V. Pan range 355°, Vertica rangel 90°				1) Pan range 355°, Vertica rangel 90° 2) Support Microphone and Speaker 3) Support reset, TF card slot (max 512G) 4) Support human detection alarm, P2P 5) With power-off memory function
	SE-WF-EM5VD25	5MP	T31X+GC4653	5MP, Wifi, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 3.6mm lens, 2x IR Leds, IR distance 20-25m, Support TF card slot(S12G), Microphone, Speaker, Metal, Vandalproof, DC12V. Pan range 355°, Vertica rangel 90°				
 Metal Housing	SE-WH3-F20	3MP	T31N+GC4063	3MP, Wifi, H.265/H.264, 3MP@20fps, 2MP@25fps, 3.6mm lens, 8x Dual light Leds, IR distance 20-25m, Microphone, Speaker, Bidirectional talking, Support human tracking, DC12V. Plastic				1) With Microphone and Speaker 2) Support P/T, Wired camera 3) Support human detection Voice& light alert 4) Support human tracking 5) DC12V 2A
 Metal Front Cover	SE-WH3-F12	3MP	T31N+GC4063	3MP, Wifi, H.265/H.264, 3MP@20fps, 2MP@25fps, 3.6mm lens, 10x Dual lights, IR distance 25-30m, Support Mic and speaker, support two-way intercom, TF card storage, Human tracking, Voice& Light alert				1) With Microphone and Speaker 2) Support P/T, WIFI, P2P 3) Support human detection Voice& light alert 4) Support human tracking 5) DC12V 2A
	SE-EM5-F12	5MP	T31X+GC4653	5MP, Wifi, H.265/H.264, 5MP@20fps, 4MP/3MP@25fps, 3.6mm lens, 10x Dual lights, IR distance 25-30m, Support Mic and speaker, support two-way intercom, TF Card storage, Human tracking, Voice& Light Alert,				
 Metal Front Cover	SE-WH3-F08	3MP	T31N+GC4063	3MP, Wifi, H.265/H.264, 3MP@20fps, 2MP@25fps, 3.6mm lens, 18x Dual lights, IR distance 25-30m, Support MIC and speaker, support two-way intercom, Support PTZ, TF card storage, Human tracking, Voice& Light alert				1) With Microphone and Speaker 2) Support P/T, WIFI, P2P 3) Support human detection Voice& light alert 4) Support human tracking 5) DC12V 2A
	SE-EM5-F08	5MP	T31X+GC4653	5MP, Wifi, H.265/H.264, 5MP@20fps, 4MP/3MP@25fps, 3.6mm lens, 18x Dual lights, IR distance 25-30m, Support MIC and speaker, support two-way intercom, Support PTZ, TF Card storage, Human tracking, Voice& Light Alert				
 Metal Front Cover	SE-WH3-M12	3MP	T31N+GC4063	3MP, Wifi, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 10x Dual lights, IR distance 25-30m, Support MIC and speaker, support two-way intercom, Support PTZ, Human tracking, Voice& Light alert				1) With Microphone and Speaker 2) Support P/T/Z, WIFI, P2P 3) Support human detection Voice& light alert 4) Support human tracking 5) DC12V 2A
	SE-EM5-M12	5MP	T31X+GC4653	5MP, Wifi, H.265/H.264, Main Stream: 5MP@20fps, 4MP@25fps, 2.7-13.5mm Motorized lens, 10x Dual lights, IR distance 25-30m, Support MIC and speaker, support two-way intercom, Support PTZ, Human tracking, Voice& Light Alert				




### Economical PTZ Camera Series




Picture	Model	Res.	Chipset	Specifications	Price USD MOQ 10x	Price USD MOQ 50x	Features	Case color & Dimension
 PTZ inside Pan: 0°-355°@30°/s; Tilt: 0°-90°@30°/s Size: 120(D)x125(H)mm Metal, Vandalproof housing 18pcs/Carton	SE-DM2PVD66M	3MP	T31N+GC4063	3MP, 1/2.9" CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array leds, IR distance 30-40m, Human detection, Vandalproof, IP66, DC12V, POE, Pan: 0°-355°@30°/s; Tilt: 0°-90°@30°/s			Internal POE included built in Microphone+\$0.50	  W90 Wall bracket+\$6.00 B60 Junction box+\$5.50
	SE-DS2PVD66M	3MP	T31N+SONY307	3MP, Starlight, SONY CMOS, H.265/H.264, 3MP@20fps, 2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array leds, IR distance 30-40m, Human detection, Vandalproof, IP66, DC12V, POE, Pan: 0°-355°@30°/s; Tilt: 0°-90°@30°/s				
	SE-FM5PVD66M	5MP	T31X+GC4653	5MP, 1/2.7" CMOS, H.265/H.264, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array leds, IR distance 30-40m, Human detection, Vandalproof, IP66, DC12V, POE, Pan: 0°-355°@30°/s; Tilt: 0°-90°@30°/s				
	SE-FM6PVD66M	5MP	T40N+SONY335	5MP, Starlight, True WDR, 1/2.8" SONY CMOS, H.264/H.265, 5MP@20fps, 4MP/3MP/2MP@25fps, 2.7-13.5mm Motorized lens, 4x IR Array leds, IR distance 30-40m, Human detection, Vandalproof, IP66, POE, Pan: 0°-355°@30°/s; Tilt: 0°-90°@30°/s				
	SE-FS8PVD66M	4K	T40N+SONY415	8MP, 1/2.8" SONY 8MP CMOS, H.264/H.265, low illumination; Main Stream: 8MP@15fps; 5MP 30@fps, 2.7-13.5mm Motorized lens, 4x IR Array Leds, IR distance 30-40m, Human detection, Vandalproof, IP66, POE, Pan: 0°-355°@30°/s; Tilt: 0°-90°@30°/s				
 4.5 inch Size	SE-WH3E15-T20	3MP 20x	T31N+GC4063	3MP, H.265, H.264, 3MP@20fps, 2MP@25fps 20x Optical Zoom(f=5.4-97.2mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV			1. IR distance 80-100 meters, 8x IR Array leds 2. Pan/Tilt/Zoom, 360 rotate, 90 auto flip, Horizontal Rotation Speed 0.5°~40°/s, Vertical rotation speed 0.5°~40°/s 3. Support 128 presets, 8 cruise, Scanning, Parking function 4. Support Microphone and Speaker, two way audio 5. Human Auto tracking 6. IP66 Waterproof 7. DC12V/2A POE+\$5.50	25cm Pedant Bracket options+\$4.50
	SE-WH3E15-S20	3MP 20x	T31N+SONY307	3MP, Starlight, SONY CMOS, H.265, H.264, 3MP@20fps, 2MP@25fps, 20x Optical Zoom(f=5.4-97.2mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-WH5E15-T20	5MP 20x	T31X+GC4653	5MP, H.265, H.264, 5MP@20fps, 4MP/3MP/2MP@25fps 20x Optical Zoom(f=5.4-97.2mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-WH5D15-F20	5MP 20x	Mstar337DE+SONY335	5MP, Starlight, SONY CMOS, H.265, H.264, 5MP/4MP/3MP@25fps 20x Optical Zoom(f=4.7-94mm), Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				
	SE-WH8D15-K20	8MP 20x	Mstar338Q+SONY415	8MP, Starlight, SONY CMOS, H.265, H.264, 8MP@20fps, 5MP/4MP@25fps 20x Optical Zoom(f=4.7-94mm), Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				
	SE-WH8D15-K33	8MP 33x	Mstar338Q+SONY415	8MP, Starlight, SONY CMOS, H.265, H.264, 8MP@20fps, 5MP/4MP@25fps 33x Optical Zoom, Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				
	SE-FWH3E15-T20	3MP 20x	T31N+GC4063	3MP, H.265, H.264, 3MP@20fps, 2MP@25fps 20x Optical Zoom(f=5.4-97.2mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
 ColorVu Series Dual Lights Middle Speed 4.5 inch Size, Full Metal, Outdoor	SE-FWH3E15-S20	3MP 20x	T31N+SONY307	3MP, Starlight, SONY CMOS, H.265, H.264, 3MP@20fps, 2MP@25fps, 20x Optical Zoom(f=5.4-97.2mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV			1. Dual lights: Warm lights 50m, Infrared IR 80m 2. Pan/Tilt/Zoom, 360 rotate, 90 auto flip, Horizontal Rotation Speed 0.5°~40°/s, Vertical rotation speed 0.5°~40°/s 3. Support 128 presets, 8 cruise, Scanning, Parking function 4. Support Microphone and Speaker, Two way audio 5. Human Auto tracking 6. Support lightning protection, surge protection 7. IP66, DC12V/2A POE+\$5.50	25cm Pedant Bracket options+\$4.50
	SE-FWH5E15-T20	5MP 20x	T31X+GC4653	5MP, H.265, H.264, 5MP@20fps, 4MP/3MP/2MP@25fps 20x Optical Zoom(f=5.4-97.2mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-FWH5D15-F20	5MP 20x	Mstar337DE+SONY335	5MP, Starlight, SONY CMOS, H.265, H.264, 5MP/4MP/3MP@25fps 20x Optical Zoom(f=4.7-94mm), Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				
	SE-FWH8D15-K20	8MP 20x	Mstar338Q+SONY415	8MP, Starlight, SONY CMOS, H.265, H.264, 8MP@20fps, 5MP/4MP@25fps 20x Optical Zoom(f=4.7-94mm), Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				
	SE-FWH8D15-K33	8MP 33x	Mstar338Q+SONY415	8MP, Starlight, SONY CMOS, H.265, H.264, 8MP@20fps, 5MP/4MP@25fps 33x Optical Zoom, Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				
	SE-FWH8D15-K33	8MP 33x	Mstar338Q+SONY415	8MP, Starlight, SONY CMOS, H.265, H.264, 8MP@20fps, 5MP/4MP@25fps 33x Optical Zoom, Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				




 <p><b>ColorVu Series Dual Lights Middle Speed</b></p> <p>6 inch Size, Full Metal, Outdoor</p>	SE-FWH3E18-T20	3MP 20x	T31N+GC4063	3MP, H.265, H.264, 3MP@20fps, 2MP@25fps 20x Optical Zoom(f=5.2-104mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV			<p>1. Dual lights: Warm lights 80m, Infrared IR 100m 2. Horizontal Rotation Speed 0.01°~40°/s, Vertical rotation speed 0.01°~40°/s 3. Excellent motor, run stably and sensitively, the lowest rotation speed reach to 0.6°/s, which can provide high quality and stable image when in large zoom. Without image shaking in any speed condition 4. Support 220 presets, 8 cruises, Scan, Parking support preset, cruise, pattern, scan setup. 5. Human Auto tracking 6. Support lightning protection, surge protection 7. IP66, DC12V/4A</p> <p>POE function+\$10.00</p>	<p>25cm Pedant Bracket options+\$4.50</p>
	SE-FWH3E18-S20	3MP 20x	T31N+SONY307	3MP, SONY CMOS, H.265, H.264, 3MP@20fps, 2MP@25fps 20x Optical Zoom(f=5.2-104mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-FWH5E18-T20	5MP 20x	T31X+GC4653	5MP, H.265, H.264, 5MP@20fps, 4MP/3MP/2MP@25fps 20x Optical Zoom(f=5.2-104mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-FWH5E18-S20	5MP 20x	T40N+SONY335	5MP, Real WDR 140dB, SONY CMOS, H.265, H.264, 5MP@20fps, 4MP/3MP@25fps 20x Optical Zoom(f=5.2-104mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-FWH8E18-S20	8MP 20x	T40N+SONY415	8MP, SONY CMOS, H.265, H.264, 8MP@15fps, 5MP/4MP/3MP/2MP@25fps 20x Optical Zoom(f=5.2-104mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-FWH3E18-T30	3MP 30x	T31N+GC4063	3MP, H.265, H.264, 3MP@20fps, 2MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-FWH3E18-S30	3MP 30x	T31N+SONY307	3MP, SONY CMOS, H.265, H.264, 3MP@20fps, 2MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-FWH5E18-T30	5MP 30x	T31X+GC4653	5MP, H.265, H.264, 5MP@20fps, 4MP/3MP/2MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-FWH5E18-S30	5MP 30x	T40N+ SONY335	5MP, Real WDR 140dB, SONY CMOS, H.265, H.264, 5MP/4MP/3MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				
SE-FWH8E18-S30	8MP 30x	T40XP+ SONY415	8MP, Real WDR 140dB, SONY CMOS, H.265, H.264, 8MP@20fps, 5MP/4MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform					
 <p><b>High Speed</b></p> <p>6 inch Size, Full Metal, Outdoor</p>	SE-HWH3D19-T20	3MP 20x	T31N+GC4063	3MP, H.265, H.264, 3MP@20fps, 2MP@25fps 20x Optical Zoom(f=5.2-104mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV			<p>1. IR distance 120 meters, 8x Smart IR Array leds, Constant current IR Led board to extend IR lifetime 2. Horizontal Rotation Speed 0.01°~200°/s, Vertical rotation speed 0.01°~75°/s 3. Excellent motor, run stably and sensitively, the lowest rotation speed reach to 0.6°/s, which can provide high quality and stable image when in large zoom. Without image shaking in any speed condition 4. Support 220 presets, 8 cruises, 4 Patterns, Scan, Parking support preset, cruise, pattern, scan setup. 5. Human Auto tracking 6. Support lightning protection, surge protection 7. IP66, DC12V/4A</p> <p>POE function+\$20.00</p>	<p>B33 Corner bracket \$12.00 P34 Pole Bracket \$12.00</p>
	SE-HWH3D19-S20	3MP 20x	T31N+SONY307	3MP, SONY CMOS, H.265, H.264, 3MP@20fps, 2MP@25fps 20x Optical Zoom(f=5.2-104mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-HWH5D19-T20	5MP 20x	T31X+GC4653	5MP, H.265, H.264, 5MP@20fps, 4MP/3MP/2MP@25fps 20x Optical Zoom(f=5.2-104mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-HWH3D19-T30	3MP 30x	T31N+GC4063	3MP, H.265, H.264, 3MP@20fps, 2MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-HWH2D19-S30	2MP 30x	T31N+ SONY307	3MP, SONY CMOS, H.265, H.264, 3MP@20fps, 2MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-HWH5D19-T30	5MP 30x	T31X+GC4653	5MP, H.265, H.264, 5MP@20fps, 4MP/3MP/2MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Slink Private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-HWH5D19-K30	5MP 30x	Mstar337DE+ SONY335	5MP, SONY CMOS, H.265, H.264, 5MP/4MP/3MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				
	SE-HWH8D19-K30	8MP 30x	Mstar338Q+ SONY415	8MP, SONY CMOS, H.265, H.264, 8MP@20fps, 5MP/4MP@25fps 30x Optical Zoom(f=4.5-135mm), Built in Microphone Support Onvif/Hik/Dahua/UNV third party platform				
 <p><b>High Speed</b></p> <p>7-inch Size, Full Metal</p>	SE-3TD19-GTH20	3MP 20x	T31N+GC2063	3MP, H.265, H.264, 3MP@20fps, 2MP@25fps 20x optical zoom, F=5.2-104mm, Support Slink private protocol, Onvif compatible with Hik/Dahua/UNV			<p>1. IR distance 150 meters, 9x Smart IR Array leds, Constant current IR Led board to extend IR lifetime 2. Support AI function: electronic fence, absent alarm, line-crossing, retrograde motion 3. Pan Speed: 0.6°~200°/s; Vertical Speed: 0.8°~75°/s, Pan 0°~360° rotation 5. Support 4 Patterns, recording time more than 10 minutes, Scan 6. IP66, DC12V/4A</p> <p>POE function+\$20.00</p>	  <p>B33 Corner bracket \$12.00 P34 Pole Bracket \$12.00</p>
	SE-3TD19-STH20	3MP 20x	T31N+ SONY307	3MP, SONY CMOS, H.265, H.264, 3MP@20fps, 2MP@25fps 20x optical zoom, F=5.2-104mm, Support Slink private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-3TD19-GT20	5MP 20x	T31X+GC4653	5MP, H.265, H.264, 5MP@20fps, 4MP/3MP/2MP@25fps 20x optical zoom, F=5.2-104mm, Support Slink private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-3TD19-GTH30	3MP 30x	T31N+GC2063	3MP, H.265, H.264, 3MP@20fps, 2MP@25fps 30x optical zoom, F=4.5-135mm, H.265/H.264, Support Slink private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-3TD19-STH30	3MP 30x	T31N+ SONY307	3MP, SONY CMOS, H.265, H.264, 3MP@20fps, 2MP@25fps 30x optical zoom, F=4.5-135mm, H.265/H.264, SONY CMOS, Support Slink private protocol, Onvif compatible with Hik/Dahua/UNV				
	SE-3TD19-GT30	5MP 30x	T31X+GC4653	5MP, H.265, H.264, 5MP@20fps, 4MP/3MP/2MP@25fps 30x optical zoom, F=4.5-135mm, H.265/H.264, Support Slink private protocol, Onvif compatible with Hik/Dahua/UNV				



### Professional Project IP Camera Series



Picture	Model	Res.	Chipset	Specifications	Price USD MOQ 50+	Price USD MOQ 200+	Lens option	Cable Layout	Bracket Options
 <p>TF Card Slot, Reset Button, Vandalproof Housing Size: 117x66mm 12pcs/Carton</p>	SE-WH2HVD60	2MP	SONY307 +GK7205V300	2MP, Starlight, Real WDR, 1080P/25fps, H.265/H.264, 1/2.9" SONY CMOS, 5-10M IR distance/6x SMT IR Leds, Smart IR, 3.6mm lens, TF Card Slot, Reset, ROI, Vandalproof, IP67, PoE, Smart function (Target count, Area Detection, Object Lost/ left, Line crossing Detection)			<p>2.8mm lens +\$1.00 Microphone+\$1.50</p>  <p>Standard Cable</p>  <p>(Audio In/Output, Alarm In/Output, RS485, Cable)+\$3.00</p>	  <p>W62 Wall bracket \$8.00 B17 Junction box \$5.00</p>	
	SE-WH4HVD60	4MP	SONY335 +GK7205V300	4MP, Starlight, Real WDR, 4MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 5-10M IR distance/6x SMT IR Leds, Smart IR, 3.6mm lens, TF Card Slot, Reset, ROI, Vandalproof, IP67, PoE, Smart function (Target count, Area Detection, Object Lost/ left, Line crossing Detection)					
	SE-NY2HVD60	2MP	SONY307 +HI3516CV500	2MP, Starlight, Real WDR, 2MP/25fps, H.265/H.264, 1/2.9" SONY CMOS, 5-10M IR distance/6x SMT IR Leds, Smart IR, 3.6mm lens, TF Card Slot, Reset, ROI, Vandalproof, IP67, POE, Human/Car Detection Analysis function (People count, Absent detection, Retrograde motion detection, Electronic Fence)					
	SE-CY4HVD60	4MP	SONY335+ CV28533M	4MP, Starlight, Real WDR, 4MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 5-10M IR distance/6x SMT IR Leds, Smart IR, 3.6mm lens, TF Card Slot, Reset, ROI, Vandalproof, IP67, POE, Human/Car Detection Analysis function (People count, Absent detection, Retrograde motion detection, Electronic Fence)					
 <p>TF Card Slot, Microphone, Speaker Vandal Housing Size: 113x103mm 12pcs/Carton</p>	SE-FM2HFD28-L	2MP	T31N+GC2063	2MP, 2MP/25fps, H.265/H.264, 1/2.7" CMOS, 20-30M IR distance/12x SMT IR Leds, Smart IR, 3.6mm lens, TF Card Slot, Microphone, Vandalproof, IP67, POE,			<p>2.8-12mm Motorized lens+\$9.50</p>  <p>Standard Cable</p>  <p>(Audio In/Output, Alarm In/Output, Audio In/Output, Alarm In/Output, Cable)+\$2.00</p>		
	SE-FM4HFD28-L	4MP	T31X+GC4653	4MP, 4MP/25fps, H.265/H.264, 1/2.7" CMOS, 20-30M IR distance/12x SMT IR Leds, Smart IR, 3.6mm lens, TF Card Slot, Microphone, Vandalproof, IP67, POE,					
	SE-WH2HFD28-L	2MP	SONY307 +GK7205V300	2MP, Ultra Starlight, Real WDR, 2MP/25fps, H.265/H.264, 1/2.9" SONY CMOS, 20-30M IR distance/12x SMT IR Leds, Smart IR, 3.6mm lens, TF Card Slot, Microphone, ROI, Vandalproof, IP67, PoE, Smart function (Target count, Area Detection, Object Lost/ left, Line crossing Detection)					
	SE-WH4HFD28-L	4MP	SONY335 +GK7205V300	4MP, Starlight, Real WDR, 4MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 20-30M IR distance/12x SMT IR Leds, Smart IR, 3.6mm lens, TF Card Slot, Microphone, ROI, Vandalproof, IP67, POE, Smart function (Target count, Area Detection, Object Lost/ left, Line crossing Detection)					



 <p><b>Top Selling</b> TF Card Slot, Reset Button, Vandal Housing Size: 117x86mm 12pcs/Carton</p>	SE-WH2HVD55-L	2MP	SONY307 +GK7205V300	2MP, Starlight, Real WDR, 2MP/25fps, H.265/H.264, 1/2.9" SONY CMOS, 20-30M IR distance/12x SMT IR Leds, Smart IR, 2.8-12mm Motorized lens, WDR, TF Card Slot, Reset, ROI, Vandalproof, IP67, POE. Smart function (Target count, Area Detection, Object Lost/ left, Line crossing Detection)			 <p><b>Standard Cable</b></p> 	<p>6-22mm Motorized lens plus USD 6.50</p>
	SE-WH4HVD55-L	4MP	SONY335 +GK7205V300	4MP, Starlight, Real WDR, 4MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 20-30M IR distance/12x SMT IR Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, Vandalproof, IP67, POE, Smart function (Target count, Area Detection, Object Lost/ left, Line crossing Detection)				
	SE-NY2HVD55-L	2MP	SONY307 +HI3516CV500	2MP, Starlight, Real WDR, 2MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 20-30M IR distance/12x SMT IR Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, Vandalproof, PoE <b>Human/Car Detection Analysis function</b> (People count, Absent detection, Retrograde motion detection, Electronic Fence)				
	SE-CY2HVD55-L	2MP	SONY327 +CV28533M	2MP, Ultra Starlight, Real WDR, 2MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 20-30M IR distance/12x SMT IR Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, Vandalproof, PoE <b>Human/Car Detection Analysis function</b> (People count, Absent detection, Retrograde motion detection, Electronic Fence)				
	SE-CY4HVD55-L	4MP	SONY IMX335+ CV28533M	4MP, Starlight, Real WDR, 4MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 20-30M IR distance/12x SMT IR Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, Vandalproof, IP67, PoE <b>Human/Car Detection Analysis function</b> (People count, Absent detection, Retrograde motion detection, Electronic Fence)				

 <p>TF Card Slot, Reset Button, Metal Housing White 12pcs/Carton</p>	SE-WH2T45-L	2MP	SONY307 +GK7205V300	2MP, Starlight, Real WDR, 2MP/25fps, H.265/H.264, 1/2.9" SONY CMOS, 40-50M IR distance/3x IR Array Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, POE. Smart function (Target count, Area Detection, Object Lost/ left, Line crossing Detection)			 <p><b>Standard Cable</b></p> 	<p>6-22mm Motorized lens \$5.00</p>
	SE-WH4T45-L	4MP	SONY335 +GK7205V300	4MP, Starlight, Real WDR, 4MP/25fps, H.265/H.264, 1/2.8" SONY STARVIS 5MP CMOS, 40-50M IR distance/3x IR Array Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, POE. Smart function (Target count, Area Detection, Object Lost/ left, Line crossing Detection)				
	SE-NY2T45-L	2MP	Sony IMX307 +HI3516CV500	2MP, Starlight, Real WDR, 2MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 40-50M IR distance/3x IR Array Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, POE. <b>Human/Car Detection Analysis function</b> (People count, Absent detection, Retrograde motion detection, Electronic Fence),ROI				
	SE-WH5T45-L	5MP	SONY IMX335+ HI3516DV300	5MP, Starlight, Real WDR, 5MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 40-50M IR distance/3x IR Array Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, POE, <b>Human/Car Detection Analysis function</b> (People count, Absent detection, Retrograde motion detection, Electronic Fence)				



 <p>Metal Housing White 20pcs/Carton</p>	SE-WH4T55-L	4MP	SONY335 +GK7205V300	4MP, Starlight, 4MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 40-50M IR distance/4x IR Array Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, POE. Smart function (Target count, Area Detection, Object Lost/ left, Line crossing Detection)			 <p><b>Standard Cable</b></p> 	<p>6-22mm Motorized lens \$5.00</p>
	SE-NY2T55-L	2MP	SONY307 +HI3516CV500	2MP, Starlight, Real WDR, 2MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 40-50M IR distance/4x IR Array Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, POE. <b>Human/Car Detection Analysis function</b> (People count, Absent detection, Retrograde motion detection, Electronic Fence),ROI				
	SE-CY2T55-L	2MP	SONY327 +CV28533M	2MP, Ultra Starlight, Real WDR, 2MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 40-50M IR distance/4x IR Array Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, POE. <b>Human/Car Detection Analysis function</b> (People count, Absent detection, Retrograde motion detection, Electronic Fence),ROI				
	SE-CY4T55-L	4MP	SONY335+ CV28533M	4MP, Starlight, Real WDR, 4MP/25fps, H.265/H.264, 1/2.8" SONY CMOS, 40-50M IR distance/4x IR Array Leds, Smart IR, 2.8-12mm Motorized lens, TF Card Slot, Reset, ROI, IP67, POE <b>Human/Car Detection Analysis function</b> (People count, Absent detection, Retrograde motion detection, Electronic Fence)				














 <p>12MP Fisheye</p>	SE-WH12B19	12MP	SONY226+ HI3519	12MP, H.265, 1/1.7" Sony 12.40MP starvis CMOS, 360° view angle, 0Lux(IR ON), 10-15M IR range/ 4pcs array IR Leds, 2.1mm 8M fisheye ICR lens, WDR, 3DNR, two-way talkback, support 64G TF card, 1CH alarm in, 1CH alarm out, support dual stream, Internal POE, AC24V/DC12V			 <ol style="list-style-type: none"> <li>1. Audio input</li> <li>2. Power supply input</li> <li>3. Network interface</li> <li>4. Alarm input/alarm output</li> <li>5. Analog video output</li> <li>6. RS485</li> <li>7. Audio output</li> </ol>
---	------------	------	--------------------	--	--	--	---

 <p>170 Panoramic Camera</p>	SE-WH45F40	4MP		4MP 170° Starlight Panoramic Bullet IP camera, 4MP, 3840x1080@20fps, 2x 4mm lens, 2x Warm lights+2x Infrared leds  Smart IR, Digital WDR, 3DNR, Onvif, P2P Built-in SD Card slot(upto 128GB), Built in Microphone and Speaker(Two-way audio), DC12V, POE, IP66			
---	------------	-----	--	---	--	--	---

 <p>180 Panoramic Camera</p>	SE-WH8PA85	8MP		8MP 180° Starlight Panoramic Bullet IP camera, 8MP, 3840x1920@30fps, 4x 4mm lens, 4xTBD leds, 1/1.8" SONY CMOS  Smart IR, WDR, 3DNR, Onvif, Slink, Intelligent analysis Built-in SD Card slot(upto 128GB), 2ch Alarm in/1ch output, 1ch Audio in/output, Reset, RS485, DC12V, POE, IP66	/	/	
---	------------	-----	--	--	---	---	---

### Professional PTZ Series with Full Features

Picture	Model	Res.	Chipset	Specifications	Price USD MOQ 10+	Price USD MOQ 50+	Features	Bracket options
 <p><b>Top Selling</b> <b>AI</b>  7-inch Full Metal</p>	SE-W2FD16-STH23	2MP 23x	HI3516DV300+ SONY327	2MP, SONY CMOS, Real WDR 140dB, H.265, H.264, 23x Optical Zoom, F=4.7-108.1mm, Intelligent IR group control, 8x IR Array leds up to 150m, Onvif/Slink protocol RS485, TF Card slot, 2ch Alarm input/1ch Alarm output, 1CH bi-directional talk, TF Card Slot, IP66, DC24V, POE+			<ol style="list-style-type: none"> <li>1. IR distance 150m, 8x smart IR Array Leds</li> <li>2. Face Recognition</li> <li>3. Support AI function: People count, Electronic fence, Absent alarm, Electronic Fence, Retrograde motion</li> <li>4. Human&amp;Vehicle Auto tracking, 3D Position, Privacy zone, Parking lot</li> <li>5. Pan speed: 0.6~200°/s; Vertical speed: 0.8°~80°/s, Pan 0°~360° rotation</li> <li>6. 256 Presets, 8 Cruise, 4 Pattern</li> <li>7. IP66, DC24V, POE</li> </ol>	
	SE-W2FD16-STH33	2MP 33x	HI3516DV300+ SONY327	2MP, SONY CMOS, Real WDR 140dB, H.265, H.264, 33x Optical Zoom, F=4.5-148.5mm, Intelligent IR group control, 8x IR Array leds up to 150m, Onvif/Slink protocol RS485, TF Card slot, 2ch Alarm input/1ch Alarm output, 1CH bi-directional talk, TF Card Slot, IP66, DC24V, POE+				
	SE-W2FD16-STH36	2MP 36x	HI3516DV300+ SONY327	2MP, SONY CMOS, Real WDR 140dB, H.265, H.264, 36x Optical Zoom, F=4.8mm~172.8mm, Intelligent IR group control, 8x IR Array leds up to 150M, Onvif/S RS485, TF Card slot, 2ch Alarm input/1ch Alarm output, 1CH bi-directional talk, TF Card Slot, IP66, DC24V, POE+				
	SE-CY4D16-STH36	4MP 30x	CV28533M+ SONY335	4MP, SONY CMOS, Real WDR 140dB, H.265, 30x Optical Zoom, F=4.5mm~135mm, Intelligent IR group control, 8x IR Array leds up to 150M RS485, TF Card slot, 2ch Alarm input/1ch Alarm output, 1CH bi-directional talk, TF Card Slot, IP66, DC24V, POE+			<ol style="list-style-type: none"> <li>1-Power input</li> <li>2-Audio input</li> <li>3-Reset</li> <li>4-Audio output</li> <li>5-Alarm input</li> <li>6-Alarm output</li> <li>8-Network port</li> </ol>	
	SE-W5FD16-STH36	5MP 36x	HI3516DV300+ SONY335	5MP, SONY CMOS, Real WDR 140dB, H.265, 36x Optical Zoom, F=4.8mm~172.8mm, Intelligent IR group control, 8x IR Array leds up to 150M RS485, TF Card slot, 2ch Alarm input/1ch Alarm output, 1CH bi-directional talk, TF Card Slot, IP66, DC24V, POE+				

Network Keyboard							
		SE-TK45		7" TFT display, Support i8/i8H/oviv protocol connect DVR/NVR/IPC/PTZ, 3D joystick, HDMI output, 2ch Alarm in, 1ch Alarm out, audio in&out, RS232&RS485.			
Face Recognition IP Camera Series							
Picture	Model	Res.	Chipset	Specifications	Price USD MOQ 10+	Price USD MOQ 50+	Cable Layout
	SE-4FR-T56	4MP	SV823+SC401AI	4MP Face recognition dome camera H.265/H.264, 8mm lens, 6x IR Array leds/IR distance 30-40m, True WDR, 3DNR, 3,000 Face Database, Maximum face detection quantity $\leq 30$ , Minimum face detection resolution $\geq 80^{\circ}80\text{px}$ , Face capture rate $\geq 99\%$ ; Face recognition rate $\geq 95\%$ , White/black face list setup Full cable functions(1ch alarm input/1ch output, 1ch Audio input/1ch Audio output)			 1-Network interface 2-Power input 3-Alarm input 4-Audio output 5-Audio input 6-Alarm output
	SE-4F-HD87	4MP	SV823+SC401AI	4MP Face recognition dome camera H.265/H.264, 8mm lens, 2x IR Array leds/IR distance 20-30m, True WDR, 3DNR, 3,000 Face Database, Maximum face detection quantity $\leq 30$ , Minimum face detection resolution $\geq 80^{\circ}80\text{px}$ , Face capture rate $\geq 99\%$ ; Face recognition rate $\geq 95\%$ , White/black face list setup Full cable functions(1ch alarm input/1ch output, 1ch Audio input/1ch Audio output)			 1-Network interface 2-Power input 3-Alarm input 4-Audio output 5-Audio input 6-Alarm output
	SE-2FR-HVD60	2MP	SONY IMX327+HI3516DV300	2MP Face recognition bullet camera H.265/H.264/MJPEG, triple stream, Sony starlight CMOS, 6mm lens, 6x IR Array leds/IR distance 10-20m, Color: 0.001Lux, B/W: 0.0001Lux, True WDR, 3DNR, 10,000 Face Database, Maximum face detection quantity $\leq 30$ , Minimum face detection resolution $\geq 80^{\circ}80\text{px}$ , Face capture rate $\geq 99\%$ ; Face recognition rate $\geq 95\%$ , White/black face list setup Full cable functions(Wiegand interface, 2ch alarm input/2ch output, TF card slot, Reset, RS485)			 1- Alarm output 2 2- Network interface 3- Power input 4- Alarm input 5- Alarm output 1/RS485 6- Weigend interface
	SE-2FR-HVD55A	2MP	SONY IMX327+HI3516DV300	2MP Face Recognition IR Vandalproof Dome camera H.265/H.264/MJPEG, triple stream, Sony starlight CMOS, 2.8-12mm Motorized lens, 12x IR Array leds/IR distance 20-30m, Color: 0.001Lux, B/W: 0.0001Lux, True WDR, 3DNR, 10,000 Face Database, Maximum face detection quantity $\leq 30$ , Minimum face detection resolution $\geq 80^{\circ}80\text{px}$ , Face capture rate $\geq 99\%$ ; Face recognition rate $\geq 95\%$ , White/black face list setup Full cable functions(Full function(Wiegand interface, 2ch alarm input/2ch output, TF card slot, Reset, RS485)			 1- Alarm output 2 2- Network interface 3- Power input 4- Alarm input 5- Alarm output 1/RS485 6- Weigend interface
	SE-5FR-HVD55A	5MP	SONY IMX335+HI3516DV300	5MP Face Recognition IR Vandalproof Dome Camera H.265/H.264/MJPEG, triple stream, Sony starlight CMOS, 2.8-12mm Motorized lens, 12x IR Array leds/IR distance 20-30m, Color: 0.001Lux, B/W: 0.0001Lux, True WDR, 3DNR, 10,000 Face Database, Maximum face detection quantity $\leq 30$ , Minimum face detection resolution $\geq 80^{\circ}80\text{px}$ , Face capture rate $\geq 99\%$ ; Face recognition rate $\geq 95\%$ , White/black face list setup Full cable functions(Wiegand interface, 2ch alarm input/2ch output, TF card slot, Reset, RS485)			
	SE-2FR-T45MF	2MP	SONY IMX327+HI3516DV300	2MP Face Recognition IR Bullet Camera H.265/H.264/MJPEG, triple stream, Sony starlight CMOS, 2.8-12mm Motorized lens, 3x IR Array leds/IR distance 40-50m, Color: 0.001Lux, B/W: 0.0001Lux, True WDR, 3DNR, 10,000 Face Database, Maximum face detection quantity $\leq 30$ , Minimum face detection resolution $\geq 80^{\circ}80\text{px}$ , Face capture rate $\geq 99\%$ ; Face recognition rate $\geq 95\%$ , White/black face list setup Full cable functions(Wiegand interface, 2ch alarm input/2ch output, TF card slot, Reset, RS485)			 1- Alarm output 2 2- Network interface 3- Power input 4- Alarm input 5- Alarm output 1/RS485 6- Weigend interface
	SE-5FR-T45MF	5MP	SONY IMX335+HI3516DV300	5MP Face Recognition IR Bullet Camera H.265/H.264/MJPEG, triple stream, Sony starlight CMOS, 2.8-12mm Motorized lens, 3x IR Array leds/IR distance 40-50m, Color: 0.001Lux, B/W: 0.0001Lux, True WDR, 3DNR, 10,000 Face Database, Maximum face detection quantity $\leq 30$ , Minimum face detection resolution $\geq 80^{\circ}80\text{px}$ , Face capture rate $\geq 99\%$ ; Face recognition rate $\geq 95\%$ , White/black face list setup Full cable functions(Wiegand interface, 2ch alarm input/2ch output, TF card slot, Reset, RS485)			
	SE-2FR-T55MF	2MP	Sony IMX327+HI3516DV300	2MP Face recognition bullet camera H.265/H.264/MJPEG, triple stream, Sony starlight CMOS, 8mm lens, 4x IR Array leds/IR distance 40-50m, Color: 0.001Lux, B/W: 0.0001Lux, True WDR, 3DNR, 10,000 Face Database, Maximum face detection quantity $\leq 30$ , Minimum face detection resolution $\geq 80^{\circ}80\text{px}$ , Face capture rate $\geq 99\%$ ; Face recognition rate $\geq 95\%$ , White/black face list setup Full cable functions(Wiegand interface, 2ch alarm input/2ch output, TF card slot, Reset, RS485)			 1- Alarm output 2 2- Network interface 3- Power input 4- Alarm input 5- Alarm output 1/RS485 6- Weigend interface
	SE-5FR-T55MF	5MP	SONY IMX335+HI3516DV300	5MP Face recognition bullet camera H.265/H.264/MJPEG, triple stream, Sony starlight CMOS, 8mm lens, 4x IR Array leds/IR distance 40-50m, Color: 0.001Lux, B/W: 0.0001Lux, True WDR, 3DNR, 10,000 Face Database, Maximum face detection quantity $\leq 30$ , Minimum face detection resolution $\geq 80^{\circ}80\text{px}$ , Face capture rate $\geq 99\%$ ; Face recognition rate $\geq 95\%$ , White/black face list setup Full cable functions(Wiegand interface, 2ch alarm input/2ch output, TF card slot, Reset, RS485)			

### Business Terms

1. NO MOQ for Sample order. Please respect MOQ after sample order, and the price is 10% more if not match MOQ for bulk order.
2. Price term: EX-Factory, Shenzhen, China
3. Warranty: Two years
4. Accept OEM/ODM orders
5. Payment terms: TT in advance

Shenzhen Secumate Technology Co.,LTD

